
Contents

| | |
|---|------|
| Preface | ix |
| Introduction | xiii |
| Chapter 1. Oral and Written Interaction Corpora | 1 |
| 1.1. Oral H–H corpora: call centers and satisfaction surveys | 2 |
| 1.1.1. CallSurf and Vox Factory: call center corpora | 2 |
| 1.1.2. Satisfaction surveys: the NPS07-09 corpus | 4 |
| 1.2. Written H–H corpora: forums | 6 |
| 1.2.1. Forum data: the WebGRC corpus | 6 |
| 1.2.2. External opinion analysis corpora used as points of reference | 7 |
| 1.3. Oral H–A corpora: virtual assistants and robots | 8 |
| 1.3.1. The Semaine corpus: toward a H–A interaction scenario | 8 |
| 1.3.2. The WoZ H–A negotiation corpus | 9 |
| 1.3.3. The UE-HRI human–robot corpus | 10 |
| 1.4. Written H–A corpus: chatbot | 15 |
| 1.5. Comparative study of different corpora | 17 |
| 1.5.1. Company corpora versus academic corpora in an H–H context | 17 |
| 1.5.2. H–A corpora | 18 |
| 1.6. Conclusion | 20 |

| | |
|---|----|
| Chapter 2. Analyzing User Opinions in Human–human Interactions | 21 |
| 2.1. From linguistic modeling to machine learning | 22 |
| 2.1.1. Rule-based system and machine learning | 23 |
| 2.1.2. Opinion-specific strings and categorization | 26 |
| 2.1.3. Extracting strings of words linking topics and opinions | 29 |
| 2.2. Learning to account for linguistic specificities | 34 |
| 2.2.1. Specific characteristics of written conversation: forums | 35 |
| 2.2.2. Specific features of conversational speech | 37 |
| 2.3. Conclusion | 39 |
| | |
| Chapter 3. Analyzing User Opinions in Human–Agent Interactions | 41 |
| 3.1. Choice of phenomena to study in relation to applications | 44 |
| 3.1.1. Modeling user likes and dislikes | 44 |
| 3.1.2. Characterizing phenomena for problem interactions | 45 |
| 3.2. Rule-based system to take into account interaction | 46 |
| 3.2.1. Methodology: corpus analysis | 46 |
| 3.2.2. Analyzing user utterances | 51 |
| 3.2.3. Taking account of the dialogical context | 55 |
| 3.2.4. Taking account of the thematic structure of interactions | 57 |
| 3.3. Hybrid approach for taking account of interactions | 57 |
| 3.3.1. Extraction of linguistic characteristics | 58 |
| 3.3.2. HCRF models | 59 |
| 3.4. Evaluation for human–agent interactions | 62 |
| 3.4.1. Annotation for system evaluation | 63 |
| 3.4.2. Evaluation of different analysis levels | 69 |
| 3.5. Conclusion | 72 |
| | |
| Chapter 4. Socio-emotional Interaction Strategies: the Case of Alignment | 75 |
| 4.1. Theoretical models | 77 |
| 4.1.1. Selected socio-emotional behaviors | 77 |
| 4.1.2. Theoretical bases for conversational analysis | 77 |
| 4.2. Qualitative and quantitative corpus analysis | 78 |
| 4.2.1. Analyzing the communicative functions of HR | 78 |
| 4.2.2. Measurement and quantification of verbal alignment | 78 |

| | |
|---|------------|
| 4.3. Computational model of verbal alignment | 80 |
| 4.3.1. Planning the emotional stance of the agent | 81 |
| 4.3.2. Other-repetition module | 82 |
| 4.4. Method for evaluating an alignment module | 83 |
| 4.4.1. Post-interaction questionnaire | 84 |
| 4.4.2. Qualitative analysis of recordings | 85 |
| 4.5. Conclusion | 86 |
| Chapter 5. Generating Socio-emotional Behaviors | 87 |
| 5.1. Generating agent prosody | 87 |
| 5.1.1. Methodological choices | 88 |
| 5.1.2. Intonation, dialog acts and social attitudes | 89 |
| 5.2. Intonation, facial expressions and sequence mining | 92 |
| 5.2.1. Automatic extraction of characteristics and symbolization | 93 |
| 5.2.2. Parameters for signal temporality | 95 |
| 5.2.3. Initial results | 95 |
| 5.3. Generation of coverbal gestures for agents | 96 |
| 5.3.1. Methodological choices | 97 |
| 5.3.2. Image schemas: from text to gesture | 98 |
| 5.3.3. Analysis of verbal content | 99 |
| 5.3.4. Analysis of prosodic content | 100 |
| 5.3.5. Illustration | 101 |
| 5.4. Conclusion | 101 |
| Conclusion | 103 |
| References | 107 |
| Index | 123 |