

---

## Contents

---

<b>Chapter 7. Removal of Natural Organic Matter</b> . . . . .	1
7.1. Natural organic matter: humic substances . . . . .	1
7.2. Methods of quantification and assessment of organic substances in water . . . . .	8
7.2.1. Total organic carbon . . . . .	9
7.2.2. Absorbance of ultraviolet light at 254 nm (UV 254) . . . . .	12
7.2.3. Specific UV absorbance . . . . .	13
7.2.4. Liquid chromatography . . . . .	16
7.2.5. Hydrophobic organic carbon . . . . .	18
7.2.6. Fluorescence . . . . .	25
7.3. Conditions for the removal of NOM . . . . .	26
7.4. NOM removal techniques . . . . .	29
7.4.1. Coagulation–flocculation . . . . .	30
7.5. Adsorption on activated carbon . . . . .	72
7.5.1. Mechanism of NOM removal by activated carbon . . . . .	72
7.5.2. Implementation of activated carbon adsorption for NOM removal. . . . .	75
7.6. Ozonation . . . . .	103
7.6.1. Preozonation . . . . .	103
7.6.2. Interozonation . . . . .	106
7.7. Biological treatment. . . . .	109
7.7.1. Biological treatment with PAC: operating principle of the Opaline® B process (Veolia) . . . . .	109
7.7.2. Biological treatment combining ozone and GAC . . . . .	114
7.8. Treatment of ion exchange resins . . . . .	124
7.8.1. Use of resins for NOM removal: mechanism of NOM removal. . . . .	124

---

7.8.2. Parameters affecting the performance of resins for the removal of NOM . . . . .	125
7.8.3. Resin regeneration . . . . .	127
7.8.4. The Opalix <sup>®</sup> process . . . . .	127
7.9. NOM removal by high-pressure membranes . . . . .	133
7.10. References. . . . .	137
<b>Chapter 8. Filtration. . . . .</b>	<b>143</b>
8.1. Rapid filters and very high-rate filters (TGV) . . . . .	144
8.2. Multimedia filters . . . . .	145
8.3. Direct filtration. . . . .	148
8.4. Pressurized filters . . . . .	150
8.5. Filtration mechanisms. . . . .	151
8.5.1. General principle . . . . .	151
8.5.2. Mechanisms involved in filtration . . . . .	152
8.6. Implementation parameters . . . . .	156
8.6.1. Materials . . . . .	156
8.6.2. Material height/d <sub>10</sub> ratio . . . . .	161
8.6.3. ES ratio. . . . .	164
8.7. Sizing parameters: filtration rate and material height . . . . .	165
8.8. Operating parameters . . . . .	168
8.8.1. Pressure loss in a clean filter . . . . .	168
8.8.2. Pressure loss during clogging. . . . .	171
8.8.3. Estimation of the turbidity of filtered water in single-layer filters . . . . .	174
8.8.4. Retention capacity . . . . .	175
8.8.5. Filter washing conditions: theory and calculations . . . . .	178
8.8.6. Cycle time . . . . .	192
8.8.7. Main parameters involved in filter sizing. . . . .	192
8.9. Veolia filtration technologies: general information . . . . .	193
8.9.1. Characteristics of open gravity filters . . . . .	197
8.10. Regulation systems . . . . .	222
8.10.1. Hydraulic regulators . . . . .	222
8.10.2. Control valves . . . . .	224
8.11. Recycling and microbiological risks . . . . .	224
8.12. Monitoring the operation and performance of filters . . . . .	226
8.12.1. Turbidity . . . . .	226
8.12.2. Particle count . . . . .	228
8.12.3. Problems with the operation of filters . . . . .	229
8.13. References. . . . .	232

<b>Chapter 9. Adsorption on Activated Carbon</b> . . . . .	235
9.1. Activation processes of activated carbon . . . . .	235
9.1.1. Chemical activation . . . . .	236
9.1.2. Physical activation . . . . .	237
9.2. Physicochemical properties of activated carbon . . . . .	238
9.2.1. Parameters influencing adsorption . . . . .	239
9.3. Transport process in activated carbon: mass transfer . . . . .	251
9.3.1. Adsorption mechanisms and isotherms . . . . .	255
9.4. The different forms of conditioning of activated carbons . . . . .	267
9.4.1. Powdered activated carbon . . . . .	267
9.4.2. Micrograin activated carbon ( $\mu$ grain) . . . . .	268
9.4.3. Granular activated carbon . . . . .	270
9.5. Adsorption reactors on activated carbon: removal process . . . . .	270
9.6. PAC reactors: description of PAC reactors . . . . .	272
9.6.1. Mass balance . . . . .	275
9.6.2. GAC reactors in adsorption mode: GAC filters . . . . .	283
9.6.3. Fluidized bed activated carbon reactors . . . . .	296
9.6.4. GAC- $\mu$ grain-PAC comparison . . . . .	304
9.6.5. Hybrid process with a PAC reactor associated with UF membranes . . . . .	306
9.7. Veolia technologies: treatment process with PAC reactors . . . . .	307
9.7.1. Implementation in a settler without PAC recirculation . . . . .	308
9.7.2. Implementation with PAC recirculation . . . . .	309
9.7.3. Opaline <sup>®</sup> C process: PAC-membrane hybrid . . . . .	329
9.8. Micrograin activated carbon reactors . . . . .	333
9.8.1. Integration of $\mu$ grain activated carbon in the treatment process . . . . .	333
9.8.2. The Filtraflo <sup>®</sup> Carb . . . . .	334
9.8.3. Opacarb <sup>®</sup> FL . . . . .	342
9.8.4. Opacarb <sup>®</sup> MG . . . . .	348
9.9. Fixed bed reactors – GAC filters . . . . .	352
9.9.1. The GAC filter (Veolia) . . . . .	354
9.9.2. GAC filters in series . . . . .	361
9.9.3. Implementation modes for GAC filters . . . . .	362
9.10. Pressurized GAC filters (Opacarb <sup>™</sup> filters) . . . . .	366
9.11. References . . . . .	368
 <b>Index</b> . . . . .	 373
 <b>Summaries of other volumes</b> . . . . .	 375