
Contents

PREFACE	ix
INTRODUCTION	xi
CHAPTER 1. BASIC THEORY	1
1.1. LTE overview	2
1.2. Scheduling in LTE	5
1.2.1. Quality of Service parameters	6
1.2.2. Channel quality indicator	8
1.2.3. Buffer state and resource allocation history	10
1.3. LTE Traffic measurements	11
1.3.1. Testing environment	12
1.3.2. VoIP preliminary capacity	13
1.3.3. Video conversation preliminary capacity	14
1.3.4. Post video and live video preliminary capacity	15
1.3.5. Summary on the LTE Traffic measurements	18
1.4. User equipment power saving in LTE	18
1.4.1. DRX cycle	18
1.5. Models for LTE Power Saving	24
1.5.1. 3GPP power consumption model	25

1.5.2. Characteristics of Nokia™ power consumption model	26
1.6. Conclusion	29
1.7. Bibliography	30
CHAPTER 2. ANALYTICAL SEMI-MARKOV POWER-SAVING MODELS	
2.1. Introduction of bursty packet data traffic	33
2.2. Designing a simple Two-state DRX model using semi-Markov	36
2.2.1. State 1 to state 1 and state 1 to state 2	38
2.2.2. Transition probability matrix	39
2.2.3. How we obtain equation [2.4]	39
2.2.4. Holding states	40
2.2.5. State H_1	40
2.2.6. Sleep states H_2	42
2.2.7. DRX cycles in basic 3GPP LTE	43
2.2.8. Wake-up delay	43
2.2.9. Power-saving factor (PS)	44
2.2.10. Numerical results	44
2.3. Three-state fixed model	47
2.3.1. State 1 to state 1 and state 1 to state 2	49
2.3.2. State 2 to state 1 and state 2 to state 3	49
2.3.3. Transition probability matrix	50
2.3.4. State H_1	51
2.3.5. Sleep states H_2 and H_3	51
2.3.6. Power-saving factor (PS)	52
2.3.7. Numerical results	54
2.3.8. Summary of the Three-state model	59
2.4. Four-state fixed model	60
2.4.1. State 1 to state 1, state 1 to state 2 and state 1 to state 3	61
2.4.2. State 2 to state 1, state 2 to state 2 and state 2 to state 3	61
2.4.3. State 3 to state 1, state 3 to state 2 and state 3 to state 4	62

2.4.4. State 4 to state 1 and state 4 to state 2 . . .	63
2.4.5. Transition probability matrix	63
2.4.6. Sleep states H_3 and H_4	65
2.4.7. Power-saving factor (PS)	66
2.4.8. Numerical results	68
2.5. Conclusion	69
2.6. Bibliography	69
CHAPTER 3. OTHER APPROACHES FOR LTE	
POWER SAVING	71
3.1. Scheduling schemes	71
3.2. DRX power-saving method	74
3.3. Analytical work	78
3.4. Analytical Adjustable-DRX Three-state model .	79
3.4.1. Adjustable DRX timer state for light sleep	79
3.4.2. State 2 to state 1 and state 2 to state 3 . . .	80
3.4.3. Transition probability matrix	81
3.4.4. Adjustable DRX cycles in 3GPP LTE	82
3.4.5. Sleep states H_2 and H_3	83
3.4.6. Power-saving factor (PS)	84
3.4.7. Numerical results	86
3.5. Conclusion	92
3.6. Bibliography	92
ACRONYMS AND NOTATIONS	95
INDEX	101