
Contents

Preface	xi
Chapter 1. General Theory of Liquid–Liquid Extractors	1
1.1. Extraction by successive stages	1
1.1.1. Feasibility of extraction (study using the ternary diagram)	1
1.1.2. Computer-based calculation of the solvent–raffinate equilibrium.	2
1.1.3. Multi-stage countercurrent extraction	3
1.1.4. Minimum quantity of solvent.	5
1.1.5. Study using the distribution curve	5
1.1.6. Aptitude of the system (solvent + product) for extraction.	6
1.2. Mixers-settlers	7
1.2.1. The operation of mixing	7
1.2.2. Separation of the two phases	8
1.2.3. Calculation for settlers	9
1.3. Equation of concentrations for differential extractors.	11
1.3.1. Principle of differential extractors	11
1.3.2. Balance of an elementary slice of the extractor with no backmixing	12
1.3.3. Axial dispersion (backmixing)	14
1.3.4. Boundary conditions	18

1.3.5. Overall balance of a component	19
1.3.6. Calculation procedure	19
1.4. Transfer parameters	21
1.4.1. Mean velocities in an empty bed	21
1.4.2. Mean drop diameter	21
1.4.3. Equivalence of d_{32} and the mean harmonic diameter	22
1.4.4. Interfacial area	23
1.4.5. Transfer coefficients	23
1.4.6. Coalescence	24
1.4.7. Marangoni effect	25
1.4.8. Slip velocity	25
1.4.9. Flowrates on flooding (approximate method)	26
1.5. Dispersed phase feeder	27
1.5.1. Influence of the feeder on the effectiveness of the transfer.	27
1.5.2. Proposed design for the feeder	28
1.5.3. Velocity through the holes in the distributor	30
1.5.4. Aperture of the distributor.	32
1.5.5. Step between the holes.	33
1.6. Conclusion – pilot studies	34
1.6.1. Advantages and disadvantages of different types of extractors.	34
1.6.2. Equivalence of devices.	35
1.6.3. Choice of the dispersed phase	36
1.6.4. Use of pilots in liquid–liquid extraction.	36
1.6.5. Additional reasons to use a pilot	37
Chapter 2. Three Examples of Calculation for a Differential Liquid–Liquid Extractor	39
2.1. General	39
2.1.1. Interfacial tension.	39
2.1.2. Physical properties and notations	40
2.2. Packed columns	41
2.2.1. Constraints on the nominal size of the packing	41
2.2.2. Flooding	42
2.2.3. Retention of dispersed phase	43
2.2.4. Mean drop diameter	44
2.2.5. Slip velocity	45
2.2.6. Transfer coefficients	46
2.2.7. Axial dispersion coefficients	47

2.3. Rotating-disc contactor	50
2.3.1 Presentation and advantage of the device	50
2.3.2. Definition of the rotating-disc contactor	51
2.3.3. Design standards	51
2.3.4. Rotation speed of the pilot	53
2.3.5. Gravimetric agitation power (pilot)	53
2.3.6. Mean drop diameter	54
2.3.7. Hold-up on flooding	55
2.3.8. Diameter of the extractor	57
2.3.9. Hold-up of dispersed phase	58
2.3.10. Speed of rotation for the industrial device	59
2.3.11. Axial dispersion coefficients (dispersivities)	60
2.3.12. Transfer coefficients	62
2.4. Pulsed column with perforated plates	62
2.4.1. Structure of the device	62
2.4.2. Operating regimes	63
2.4.3. Advantage of pulsed columns	64
2.4.4. Determination of the pulsation parameters	65
2.4.5. Agitation power density	66
2.4.6. Flooding	67
2.4.7. Mean drop diameter	68
2.4.8. Hold-up of the dispersed phase	69
2.4.9. Slip velocity	70
2.4.10. Transfer coefficients	70
2.4.11. Axial dispersion (contiguous phase)	70
2.4.12. Axial dispersion (dispersed phase)	71
Chapter 3. Equilibrium and Material Transfer	
Between a Fluid and a Divided Solid	73
3.1. Introduction.	73
3.2. Choice of adsorbents	74
3.2.1. General	74
3.2.2. Activated charcoal	75
3.2.3. Silica gel	75
3.2.4. Activated alumina	76
3.2.5. Activated earths	76
3.2.6. Ion exchangers	76
3.2.7. Zeolites	77
3.3. The different types of isotherms of fluid–solid equilibrium.	77
3.3.1. The Freundlich isotherm.	77

3.3.2. Langmuir–Freundlich combination	78
3.3.3. The Langmuir isotherm (thermodynamic approach	78
3.3.4. The Langmuir isotherm (dynamic equilibrium)	79
3.3.5. Generalization to multiple components	80
3.3.6. Generalization to a heterogeneous surface (bi-Langmuir isotherm)	81
3.3.7. Langmuir equation for liquids	81
3.3.8. “Competitive” isotherm found by Gritti and Guiochon	81
3.3.9. Tóth isotherm	82
3.3.10. Moreau isotherm	82
3.3.11. Martire isotherm.	82
3.3.12. BET (Brunauer, Emmett and Teller) isotherm.	83
3.3.13. Ion exchange	84
3.3.14. Generalization	86
3.3.15. The five main types of isotherms	87
3.4. Thermodynamics and equilibrium of multiple adsorption	88
3.4.1. Posing of the problem	88
3.4.2. Spreading pressure – Gibbs equation	88
3.4.3. Surface energy and surface tension of liquids	89
3.4.4. Surface tension and spreading pressure	90
3.4.5. Gibbs equation and tensioactives.	91
3.4.6. Calculation of the spreading pressure on a solid	91
3.4.7. Padé approximation	92
3.4.8. Equilibrium equations; composition of the adsorbate.	92
3.4.9. Calculating the molar sum of the adsorbed species	93
3.4.10. Comparison with the Raoult laws	94
3.4.11. Fick’s laws and activity coefficient:	95
3.4.12. Calculation of γ_s with a linear isotherm	96
3.4.13. Calculation of γ_s with the Langmuir isotherm	96
3.4.14. Isosteric heat	98
3.5. Transfer parameters	100
3.5.1. Transfer through the liquid film	100
3.5.2. Expression of the Knudsen diffusivity in a pore.	100

3.5.3. Overall pore diffusivity in a porous medium	102
3.5.4. Surface diffusivity	102
3.5.5. Diffusion in pellets (or tablets or indeed spheroids)	103
3.5.6. Differential equation internal to solid particles	104
3.5.7. Fluid–solid exchange equation	105
3.5.8. Simplified fluid–particle exchange	105
3.6. Adsorption between a mass of liquid and a mass of solid.	107
3.6.1. A simple situation	107
3.6.2. The volume of liquid is limited.	108
3.6.3. Integration of the resistance of the liquid film	109
3.6.4. The isotherm is not linear	110
3.6.5. Bi-dispersed porosity.	111
Chapter 4. Liquid–Solid Extraction and Washing of a Divided Solid by a Liquid	113
4.1. Fundamentals of extraction and liquid–solid washing.	113
4.1.1. Terminology.	113
4.1.2. Measuring the total soluble and the extractible soluble products.	114
4.1.3. Accessible porosity.	115
4.1.4. Equilibrium coefficient	116
4.1.5. Shape and dimension of particles	117
4.1.6. Global transfer coefficient in chromatography.	118
4.1.7. Equivalence between chromatography and saturation of a fixed bed	120
4.1.8. Number of transfer units on the side of the extract	122
4.1.9. Extractors and washers.	123
4.2. Hydrodynamics of percolation continuous extractors	126
4.2.1. Principle	126
4.2.2. Flooding rate.	128
4.3. Performances of continuous percolation extractors	133
4.3.1. Hypothesis	133
4.3.2. Number of transfer units; transfer equation.	133
4.4. Diffusion batteries.	141
4.4.1. Principle	141
4.4.2. Spaninks and Bruin’s method.	142
4.5. Washing of ores	147
4.5.1. Concentrations and gravimetric fractions.	147
4.5.2. Graphical determination of a number of stages of washing	149

Appendix	153
Bibliography	155
Index	163