

## Table of Contents

|  |      |
|--|------|
| <b>Foreword . . . . .</b>  | xiii |
| Paul ROYET   |      |
| <b>Introduction . . . . .</b>  | xv   |
| Stéphane BONELLI   |      |
| <b>Chapter 1. Introduction to the Process of Internal Erosion in<br/>Hydraulic Structures: Embankment Dams and Dikes . . . . .</b> | 1    |
| Jacques FRY  |      |
| 1.1. Introduction . . . . .  | 1    |
| 1.2. The significance of internal erosion for hydraulic structures . . . . .   | 2    |
| 1.2.1. The set of hydraulic structures in France . . . . .   | 2    |
| 1.2.2. The vulnerability of hydraulic structures . . . . .   | 2    |
| 1.2.3. Erosion as a leading cause of failure . . . . .   | 3    |
| 1.2.4. Internal erosion: one failure per year in France . . . . .  | 4    |
| 1.3. The impact of incidents on embankment dams and dikes . . . . .  | 5    |
| 1.3.1. Terminology . . . . .   | 5    |
| 1.3.2. Initiation areas . . . . .  | 5    |
| 1.3.3. The importance of design . . . . .  | 8    |
| 1.3.4. Four mechanisms of erosion, classified according to their<br>boundary conditions . . . . .                                  | 11   |
| 1.3.5. Triggering mechanisms . . . . .   | 13   |
| 1.4. Main results of erosion trials . . . . .  | 16   |
| 1.4.1. Which law of erosion? . . . . .   | 16   |
| 1.4.2. Concentrated leak erosion . . . . .   | 16   |
| 1.4.3. Backward erosion . . . . .  | 19   |
| 1.4.4. Contact erosion . . . . .   | 21   |
| 1.4.5. Suffusion . . . . .   | 22   |

|  |           |
|--|-----------|
| 1.5. Remarks on the applicability of erosion trials . . . . .                                      | 24        |
| 1.5.1. Problem of passing on the results from the laboratory to the hydraulic structure . . . . .  | 24        |
| 1.5.2. Scaling effect of outflows in the absence of similarity . . . . .                           | 25        |
| 1.5.3. Influence of the geostatic structure of the soil on the erosion threshold . . . . .         | 26        |
| 1.5.4. Initiation of internal erosion in a cohesionless soil . . . . .                             | 31        |
| 1.5.5. Erodibility and researching erosion laws . . . . .  | 32        |
| 1.6. Conclusion . . . . .  | 35        |
| 1.7. Bibliography . . . . .  | 36        |
| <b>Chapter 2. Suffusion, Transport and Filtration of Fine Particles in Granular Soil . . . . .</b> | <b>39</b> |
| Didier MAROT and Ahmed BENAMAR   |           |
| 2.1. Introduction . . . . .  | 39        |
| 2.1.1. Chapter objectives . . . . .  | 39        |
| 2.1.2. Terminology . . . . .   | 40        |
| 2.2. Dominant parameters that influence suffusion . . . . .  | 41        |
| 2.2.1. Parameters that modify the geometry of the porous medium . . . . .                          | 41        |
| 2.2.2. Parameters that modify the physicochemical characteristics of the medium . . . . .          | 44        |
| 2.3. Main initiation criteria for suffusion . . . . .  | 45        |
| 2.3.1. Grain-size distribution criteria . . . . .  | 45        |
| 2.3.2. Confronting granular criteria . . . . .   | 48        |
| 2.3.3. Hydraulic criteria . . . . .  | 50        |
| 2.3.4. Summary and final remarks . . . . .   | 52        |
| 2.4. An initiation criterion formulated using a geohydromechanical approach . . . . .              | 53        |
| 2.4.1. Geometric criterion . . . . .   | 53        |
| 2.4.2. The hydromechanical criterion . . . . .   | 53        |
| 2.4.3. Summary and final remarks . . . . .   | 54        |
| 2.5. The scaling effect and the energetic approach . . . . .                                       | 55        |
| 2.5.1. Identifying the scaling effect . . . . .  | 55        |
| 2.5.2. Energetic approach . . . . .  | 55        |
| 2.5.3. Summary . . . . .   | 58        |
| 2.6. Coupling the phenomena of suffusion and filtration-clogging . . . . .                         | 58        |
| 2.7. Processes causing filtration . . . . .  | 59        |
| 2.7.1. Background knowledge . . . . .  | 60        |
| 2.7.2. Theoretical background . . . . .  | 61        |
| 2.8. Filtration modeling . . . . .   | 64        |
| 2.8.1. Modeling in a continuous medium . . . . .   | 64        |

|   |     |
|---|-----|
| 2.8.2. Convection model – dispersion with deposition kinetics . . . . .                               | 67  |
| 2.9. Confrontation between the laboratory filtration tests<br>and the modeling . . . . .              | 69  |
| 2.9.1. Validation of the model in the case of suspended particles . . . . .                           | 69  |
| 2.9.2. Results and preferential flow . . . . .  | 70  |
| 2.10. Filtration and clogging . . . . .   | 71  |
| 2.10.1. Phenomenological laws . . . . .   | 71  |
| 2.10.2. Physicochemical aspects . . . . .   | 72  |
| 2.10.3. Filtration and clogging . . . . .   | 73  |
| 2.11. Conclusion . . . . .  | 74  |
| 2.12. Bibliography . . . . .  | 75  |
| <b>Chapter 3. The Process of Filtration in Granular Materials . . . . .</b>                           | 81  |
| Eric VINCENS, Nadège REBOUL and Bernard CAMBOU  |     |
| 3.1. Introduction . . . . .   | 81  |
| 3.2. Fundamental characteristics of the filtering granular media . . . . .                            | 82  |
| 3.2.1. Pores . . . . .  | 82  |
| 3.2.2. Constrictions . . . . .  | 83  |
| 3.3. The distribution of constriction size . . . . .  | 84  |
| 3.3.1. The definition of pores and constrictions using<br>a DEMDT approach . . . . .                  | 85  |
| 3.3.2. The influence that the density of the medium has on the<br>size of the constrictions . . . . . | 89  |
| 3.4. A probabilistic approach of constriction sizes . . . . .   | 92  |
| 3.4.1. Particle size distribution . . . . .   | 93  |
| 3.4.2. Different geometrical configurations according to the density<br>of the medium . . . . .       | 94  |
| 3.4.3. Distribution of constriction sizes: several models . . . . .                                   | 96  |
| 3.5. Diameter of control constrictions . . . . .  | 99  |
| 3.5.1. Probabilistic approach . . . . .   | 100 |
| 3.5.2. Control diameter: several definitions . . . . .  | 103 |
| 3.6. A continuous approach of the process of filtration . . . . .                                     | 105 |
| 3.7. Conclusion . . . . .   | 110 |
| 3.8. Bibliography . . . . .   | 111 |
| <b>Chapter 4. Contact Erosion between Two Soils . . . . .</b>   | 115 |
| Rémi BÉGUIN, Pierre PHILIPPE, Yves-Henri FAURE and Cyril GUIDOUX                                      |     |
| 4.1. Introduction . . . . .   | 115 |
| 4.2. Areas prone to CE in hydraulic structures . . . . .  | 116 |
| 4.2.1. General characteristics of constitutive materials . . . . .                                    | 116 |
| 4.2.2. Heterogeneities within the concerned hydraulic structures . . . . .                            | 117 |

|  |            |
|--|------------|
| 4.2.3. Possible configurations of CE within a hydraulic structure . . . . .              | 118        |
| 4.3. Description of CE mechanisms on a local scale . . . . .                             | 120        |
| 4.3.1. CE in the general context of surface erosion . . . . .                            | 120        |
| 4.3.2. Local measures in the contact area between two soil layers . . . . .              | 121        |
| 4.3.3. Flow regimes and bottom shear stress . . . . .                                    | 122        |
| 4.3.4. Erosion threshold of the particles of fine soil . . . . .                         | 125        |
| 4.3.5. Kinetics of erosion and transport of the fine particles . . . . .                 | 128        |
| 4.4. CE of a fine soil under a coarse soil . . . . .                                     | 131        |
| 4.4.1. Determination of the threshold of CE initiation . . . . .                         | 133        |
| 4.4.2. Influence of cohesion . . . . .   | 139        |
| 4.4.3. CE kinetics . . . . .   | 141        |
| 4.4.4. Modeling . . . . .  | 143        |
| 4.5. CE of a fine soil on a coarse soil . . . . .  | 146        |
| 4.5.1. Conditions for the occurrence of CE . . . . .                                     | 146        |
| 4.5.2. Comparison with the configuration of a fine soil under<br>a coarse soil . . . . . | 148        |
| 4.6. Possible scenarios that may lead to failure of a hydraulic<br>structure . . . . .   | 149        |
| 4.7. Conclusion and perspectives . . . . .   | 151        |
| 4.8. Bibliography . . . . .  | 152        |
| <b>Chapter 5. Concentrated Leak Erosion . . . . .</b>                                    | <b>155</b> |
| Nadia BENAHMED, Christophe CHEVALIER and Stéphane BONELLI                                |            |
| 5.1. Introduction . . . . .  | 155        |
| 5.2. General points . . . . .  | 156        |
| 5.2.1. Experimental reproduction of pipe flow with erosion . . . . .                     | 156        |
| 5.2.2. Erosion parameters: shear stress and erosion rate . . . . .                       | 157        |
| 5.2.3. Erosion law: shear stress threshold and erosion coefficient . . . . .             | 158        |
| 5.3. The device and the protocol of the HET . . . . .                                    | 160        |
| 5.3.1. Equipment . . . . .   | 160        |
| 5.3.2. Preparation of the specimen . . . . .   | 161        |
| 5.3.3. Test procedures . . . . .   | 162        |
| 5.4. Methods of interpretation . . . . .   | 164        |
| 5.4.1. Determining the shear stress . . . . .  | 165        |
| 5.4.2. Interpretation by means of turbidity . . . . .                                    | 165        |
| 5.4.3. Interpretation using the flow/pressure relation . . . . .                         | 169        |
| 5.5. Effect of different soil parameters on erosion . . . . .                            | 174        |
| 5.5.1. Trial campaign . . . . .  | 174        |
| 5.5.2. The influence of clay content . . . . .   | 176        |
| 5.5.3. The influence of the nature of the clay . . . . .                                 | 178        |
| 5.5.4. The influence of the density and the moisture content . . . . .                   | 180        |
| 5.6. Importance of the erosion index for hydraulic structures . . . . .                  | 181        |

|  |            |
|--|------------|
| 5.6.1. The case of earthfill dams . . . . .  | 182        |
| 5.6.2. The case of dikes . . . . .   | 183        |
| 5.7. Conclusion . . . . .  | 183        |
| 5.8. Bibliography . . . . .  | 184        |
| <b>Chapter 6. Modeling of Interfacial Erosion . . . . .</b>                                    | <b>187</b> |
| Stéphane BONELLI, Frédéric GOLAY and Fabienne MERCIER  |            |
| 6.1. Introduction . . . . .  | 187        |
| 6.2. Modeling of a two-phase medium . . . . .  | 189        |
| 6.2.1. Definition of volume quantities . . . . .   | 189        |
| 6.2.2. Definition of interfacial quantities . . . . .  | 192        |
| 6.2.3. Conservation of mass equations . . . . .  | 193        |
| 6.2.4. Equations of motion . . . . .   | 194        |
| 6.3. Modeling of the soil/fluid interface . . . . .  | 195        |
| 6.3.1. Simplifying assumptions . . . . .   | 195        |
| 6.3.2. Rewriting of jump equations . . . . .   | 196        |
| 6.3.3. The erosion law . . . . .   | 196        |
| 6.4. Modeling of flow with erosion . . . . .   | 198        |
| 6.4.1. Two-phase flow with erosion and transport . . . . .                                     | 198        |
| 6.4.2. Analysis of the orders of magnitudes . . . . .  | 199        |
| 6.4.3. Modeling of dilute flow with slow erosion . . . . .                                     | 203        |
| 6.4.4. Turbulence modeling . . . . .   | 204        |
| 6.5. Numerical modeling . . . . .  | 205        |
| 6.5.1. Interface capturing: the fictitious domain method and<br>the level set method . . . . . | 206        |
| 6.5.2. Interface capturing: Lagrangian approach and remeshing . . . . .                        | 208        |
| 6.6. Validation of numerical models . . . . .  | 209        |
| 6.6.1. Simplified modeling and exact solutions in the case<br>of pipe flows . . . . .          | 209        |
| 6.6.2. Plane Poiseuille flow with erosion . . . . .  | 211        |
| 6.6.3. Axisymmetric Poiseuille flow with erosion . . . . .                                     | 212        |
| 6.7. Illustrative examples . . . . .   | 213        |
| 6.7.1. Scouring of a vertical cylinder . . . . .   | 213        |
| 6.7.2. Modeling of Jet Erosion Test . . . . .  | 215        |
| 6.7.3. Modeling of Hole Erosion Test . . . . .   | 216        |
| 6.8. Conclusion . . . . .  | 219        |
| 6.9. Bibliography . . . . .  | 219        |
| <b>Chapter 7. Physics of Sediment and Aeolian Transport . . . . .</b>                          | <b>223</b> |
| Bruno ANDREOTTI and Philippe CLAUDIN   |            |
| 7.1. Introduction . . . . .  | 223        |
| 7.2. Static transport threshold . . . . .  | 224        |

|   |            |
|---|------------|
| 7.2.1. Shields number . . . . .                                     | 224        |
| 7.2.2. The influence of longitudinal slope . . . . .                | 226        |
| 7.2.3. Influence of soil cohesion . . . . .                         | 227        |
| 7.3. Aeolian transport . . . . .                                    | 227        |
| 7.3.1. Qualitative description . . . . .                            | 227        |
| 7.3.2. Dynamic transport threshold . . . . .                        | 229        |
| 7.3.3. Focal point of the velocity profiles. . . . .                | 230        |
| 7.4. Quantitative description of transport . . . . .                | 232        |
| 7.4.1. Interface between the sediment bed and the fluid . . . . .   | 232        |
| 7.4.2. Flux and conservation of matter . . . . .                    | 233        |
| 7.4.3. Saturated flux . . . . .                                     | 235        |
| 7.4.4. Length of saturation . . . . .                               | 237        |
| 7.5. Linear stability analysis of a flat erodible bed . . . . .     | 240        |
| 7.5.1. Qualitative description of instability. . . . .              | 240        |
| 7.5.2. Linear stability analysis . . . . .                          | 242        |
| 7.5.3. A scaling law for elementary dunes . . . . .                 | 246        |
| 7.6. Conclusion . . . . .   | 248        |
| 7.7. Acknowledgments. . . . .                                       | 249        |
| 7.8. Bibliography . . . . .   | 249        |
| <b>Chapter 8. Two-Phase Modeling of Bedload Transport . . . . .</b> | <b>253</b> |
| Pascale AUSSILLOUS, Elisabeth GUAZZELLI and Yannick PEYSSON         |            |
| 8.1. Introduction. . . . .  | 253        |
| 8.2. Incipient motion . . . . .                                     | 254        |
| 8.2.1. Shields number . . . . .                                     | 256        |
| 8.2.2. Force balance on a grain. . . . .                            | 256        |
| 8.2.3. Force balance on a bed of particles . . . . .                | 257        |
| 8.2.4. Shields curve . . . . .                                      | 259        |
| 8.2.5. Laminar regime . . . . .                                     | 261        |
| 8.2.6. Turbulent regime . . . . .                                   | 263        |
| 8.3. Bedload transport . . . . .                                    | 265        |
| 8.3.1. Particle flux . . . . .                                      | 265        |
| 8.3.2. Two-phase modeling. . . . .                                  | 267        |
| 8.3.3. Closure equations in laminar regime . . . . .                | 269        |
| 8.3.4. Resolution for shear flows. . . . .                          | 271        |
| 8.3.5. Comparison with experiments in laminar regime . . . . .      | 275        |
| 8.4. Conclusion and outlook. . . . .                                | 276        |
| 8.5. Acknowledgments. . . . .                                       | 276        |
| 8.6. Bibliography . . . . .   | 277        |

|  |     |
|--|-----|
| <b>Chapter 9. Characterization of Natural Cohesive Sediments and Water Quality of Rivers . . . . .</b> | 281 |
| Fabien TERNAT, Patrick BOYER, Fabien ANSELMET and Muriel AMIELH  |     |
| 9.1. Introduction . . . . .  | 281 |
| 9.2. Behavior of pollutants in rivers . . . . .  | 282 |
| 9.2.1. General balance equations. . . . .  | 287 |
| 9.2.2. Term of deposit flow and erosion . . . . .  | 290 |
| 9.3. Erosion of fine cohesive sediments . . . . .  | 292 |
| 9.3.1. Erosion threshold of a non-consolidated layer . . . . .   | 292 |
| 9.3.2. Erosion threshold of a consolidated and saturated layer . . . . .                               | 293 |
| 9.4. Experimental characterization . . . . .   | 302 |
| 9.4.1. Characterization of sediments in the water column . . . . .                                     | 302 |
| 9.4.2. Characterization of the sediment column . . . . .   | 306 |
| 9.5. Example of operational application . . . . .  | 310 |
| 9.5.1. Simplified approach by a box model . . . . .  | 310 |
| 9.5.2. Application to the radioactive contamination of the Techa River (Russia). . . . .               | 312 |
| 9.6. Conclusion . . . . .  | 317 |
| 9.6.1. Review . . . . .  | 317 |
| 9.6.2. Outlook . . . . .   | 318 |
| 9.7. Bibliography . . . . .  | 319 |
| <b>Chapter 10. Sediment Transport and Morphodynamics in Nearshore Areas . . . . .</b>                  | 325 |
| Vincent REY and Damien SOUS  |     |
| 10.1. Introduction . . . . .   | 325 |
| 10.2. Marine sediments . . . . .   | 326 |
| 10.2.1. Characteristics of sediments . . . . .   | 326 |
| 10.2.2. Settling velocity of sediments . . . . .   | 328 |
| 10.2.3. Rheology of suspensions and deposits . . . . .   | 330 |
| 10.3. Sediment transport . . . . .   | 331 |
| 10.3.1. Suspending the particles, the notion of threshold . . . . .                                    | 331 |
| 10.3.2. Modes of transport . . . . .   | 334 |
| 10.3.3. Equations and transport models . . . . .   | 335 |
| 10.4. Sediment structures and morphodynamic structures . . . . .                                       | 336 |
| 10.4.1. Sediment structures outside the breaking area . . . . .  | 336 |
| 10.4.2. Sediment structures in breaking zone . . . . .   | 343 |
| 10.5. Local effects: scouring around the structures . . . . .  | 351 |
| 10.5.1. Scouring around the pipelines . . . . .  | 352 |
| 10.5.2. Scouring around vertical cylinders . . . . .   | 353 |
| 10.5.3. Scouring upstream from nearshore structures . . . . .  | 353 |

|                        |   |     |
|------------------------|---|-----|
| xii                    | Erosion of Geomaterials                                 |     |
| 10.6.                  | Long-term morphodynamics of beaches . . . . .           | 354 |
| 10.6.1.                | Evolution models of the profile of the beaches. . . . . | 354 |
| 10.6.2.                | Shoreline evolution models . . . . .                    | 356 |
| 10.7.                  | Conclusion . . . . .                                    | 359 |
| 10.8.                  | Bibliography . . . . .                                  | 360 |
| <b>List of Authors</b> | . . . . .   | 365 |
| <b>Index</b>           | . . . . .   | 369 |