

---

## Contents

---

<b>Chapter 1. Introduction . . . . .</b>	<b>1</b>
<b>Chapter 2. Physicochemical and Microbiological Composition of Raw Water. . . . .</b>	<b>9</b>
2.1. Water resources . . . . .	9
2.1.1. Physicochemical parameters . . . . .	10
2.1.2. Algae (including cyanobacteria and cyanotoxins). . . . .	18
2.1.3. Tastes and odors . . . . .	22
2.1.4. Micropollutants . . . . .	24
2.2. Microbiology . . . . .	28
2.2.1. Bacteria . . . . .	29
2.2.2. Viruses . . . . .	30
2.2.3. Parasites (Cryptosporidium and Giardia) . . . . .	32
2.3. Quality of water intended for human consumption . . . . .	34
2.3.1. Microbiological parameters . . . . .	35
2.4. References . . . . .	42
<b>Chapter 3. Aeration and Stripping . . . . .</b>	<b>43</b>
3.1. Cascade aeration . . . . .	43
3.1.1. Characteristics . . . . .	44
3.2. Operating principle of a cascade aerator system . . . . .	45
3.2.1. Data . . . . .	49
3.2.2. Goals . . . . .	49
3.2.3. Results . . . . .	49

3.3. Aeration by fine bubble diffusers . . . . .	51
3.3.1. Air diffusers . . . . .	52
3.3.2. Air insufflation by oxytube . . . . .	52
3.4. Stripping . . . . .	53
3.4.1. Stripping tower design . . . . .	54
3.4.2. Description . . . . .	58
3.4.3. CO <sub>2</sub> removal . . . . .	60
3.4.4. Tetrachlorethylene and trichlorethylene removal . . . . .	61
3.5. Synthesis of aeration systems . . . . .	61
3.6. References . . . . .	62
 <b>Chapter 4. Coagulation–flocculation . . . . .</b>	63
4.1. Colloidal matter . . . . .	63
4.2. Coagulation . . . . .	65
4.2.1. Double-layer compression . . . . .	70
4.2.2. Adsorption and interparticle bridging (flocculation) . . . . .	71
4.3. Flocculation . . . . .	74
4.3.1. Perikinetic flocculation . . . . .	74
4.3.2. Orthokinetic flocculation . . . . .	76
4.3.3. The influence of agitation . . . . .	79
4.3.4. G and t . . . . .	81
4.4. Coagulants . . . . .	85
4.4.1. Metallic coagulants . . . . .	85
4.4.2. Synthetic organic coagulants . . . . .	97
4.5. Flocculants . . . . .	99
4.5.1. Natural organic and synthetic flocculants . . . . .	99
4.5.2. Flocculation adjuvants . . . . .	105
4.6. Factors affecting coagulation and flocculation . . . . .	105
4.6.1. Influence of water temperature . . . . .	105
4.6.2. Influence of pH . . . . .	106
4.6.3. Coagulation and flocculation times . . . . .	111
4.7. How to choose the best coagulant? . . . . .	111
4.7.1. How to choose the optimal dose of coagulant? . . . . .	113
4.8. Residual aluminum . . . . .	115
4.9. Alkalinity consumption . . . . .	116
4.9.1. Aluminum and alkalinity . . . . .	117
4.9.2. Iron and alkalinity . . . . .	120
4.10. Reduction efficiency of some water constituents . . . . .	125
4.10.1. Turbidity and SS . . . . .	125
4.10.2. Microorganism removal . . . . .	128

4.11. Jar tests . . . . .	130
4.11.1. The specific case of jar test for Actiflo® . . . . .	134
4.12. References . . . . .	138
 <b>Chapter 5. Settling . . . . .</b>	 143
5.1. The principles of settling . . . . .	143
5.2. Horizontal settlers . . . . .	145
5.2.1. Principle . . . . .	145
5.2.2. Design . . . . .	149
5.2.3. Implementation . . . . .	150
5.3. Lamella settlers . . . . .	152
5.3.1. Theory and principle . . . . .	153
5.3.2. Basic design for lamella settlers . . . . .	156
5.3.3. Implementation . . . . .	162
5.4. Veolia technologies . . . . .	165
5.4.1. Lamella settlers: Multiflo® settler . . . . .	165
5.4.2. Ballasted floc settlers . . . . .	176
5.5. References . . . . .	198
 <b>Chapter 6. Flotation . . . . .</b>	 203
6.1. The scope of DAF . . . . .	204
6.2. The main stages of a flotation process . . . . .	205
6.2.1. Coagulation . . . . .	205
6.2.2. Flocculation . . . . .	206
6.2.3. Flotation . . . . .	206
6.3. The fundamental mechanisms of flotation . . . . .	207
6.3.1. Coagulation . . . . .	209
6.3.2. Flocculation . . . . .	209
6.3.3. Contact zone . . . . .	210
6.3.4. Separation zone . . . . .	228
6.4. Design parameters . . . . .	232
6.4.1. Coagulation . . . . .	233
6.4.2. Flocculation . . . . .	233
6.4.3. Flotation zone . . . . .	234
6.4.4. Contact time . . . . .	239
6.4.5. Temperature . . . . .	239
6.4.6. Air saturation tank . . . . .	239
6.4.7. Mass balance . . . . .	243
6.4.8. Recirculation and injection nozzles . . . . .	244

6.5. Operating parameters affecting flotation performance . . . . .	245
6.5.1. Choice of coagulant . . . . .	245
6.5.2. Rise velocity . . . . .	248
6.5.3. Contact time . . . . .	248
6.5.4. Bubble volume concentration . . . . .	248
6.5.5. Gas solubility . . . . .	249
6.5.6. Hydraulic efficiency . . . . .	249
6.5.7. Air/water ratio . . . . .	249
6.6. Performance and monitoring . . . . .	250
6.6.1. Treatment monitoring . . . . .	250
6.6.2. Performance of DAF systems in relation to algae removal . . . . .	252
6.6.3. Performance against parasites . . . . .	253
6.6.4. Performance with the addition of PAC . . . . .	253
6.7. Veolia technologies using flotation . . . . .	254
6.7.1. Spidflow®: principle . . . . .	254
6.7.2. Advantages and limitations of DAF systems . . . . .	271
6.7.3. Spidflow® filter . . . . .	273
6.7.4. Ozoflot® . . . . .	279
6.7.5. Flottazone® . . . . .	282
6.7.6. Packaged solutions: Spidflow® Pack . . . . .	284
6.8. References . . . . .	287
<b>Index . . . . .</b>	<b>293</b>
<b>Summaries of other volumes . . . . .</b>	<b>295</b>