

## Table of Contents

|  |           |
|--|-----------|
| <b>Preface . . . . .</b>   | <b>xi</b> |
| <b>Chapter 1. Introduction . . . . .</b>                         | <b>1</b>  |
| 1.1. Evolution of application and network layers . . . . .       | 1         |
| 1.2. Summary of contributions . . . . .                          | 3         |
| 1.3. Book structure . . . . .                                    | 5         |
| <b>Chapter 2. Transport Protocols State of the Art . . . . .</b> | <b>7</b>  |
| 2.1. Introduction . . . . .                                      | 7         |
| 2.2. Transport layer reference models . . . . .                  | 9         |
| 2.2.1. OSI model . . . . .                                       | 9         |
| 2.2.2. TCP/IP model . . . . .                                    | 9         |
| 2.2.3. Transport layer . . . . .                                 | 9         |
| 2.2.4. Transport services . . . . .                              | 10        |
| 2.3. Transport functions and mechanisms . . . . .                | 11        |
| 2.3.1. Error control . . . . .                                   | 11        |
| 2.3.2. Congestion control . . . . .                              | 14        |
| 2.3.3. Summary . . . . .   | 19        |
| 2.4. IETF transport protocols . . . . .                          | 20        |
| 2.4.1. TCP . . . . .   | 20        |
| 2.4.2. UDP . . . . .   | 21        |
| 2.4.3. SCTP . . . . .  | 21        |
| 2.4.4. DCCP . . . . .  | 22        |
| 2.4.5. MPTCP . . . . .   | 23        |
| 2.5. Summary . . . . .   | 23        |

|   |    |
|---|----|
| <b>Chapter 3. Semantic Modeling of Transport Protocols and Services . . . . .</b>                     | 25 |
| 3.1. Introduction . . . . .   | 25 |
| 3.2. Model and semantic-driven architecture . . . . .   | 26 |
| 3.2.1. Model-driven architecture . . . . .  | 26 |
| 3.2.2. Ontology-driven architecture . . . . .   | 27 |
| 3.3. Design of a QoS ontology framework . . . . .   | 28 |
| 3.3.1. Quality of Service definition . . . . .  | 28 |
| 3.3.2. ITU-T X.641 framework . . . . .  | 29 |
| 3.3.3. Service . . . . .  | 29 |
| 3.3.4. Service user . . . . .   | 29 |
| 3.3.5. Service provider . . . . .   | 30 |
| 3.3.6. QoS characteristic . . . . .   | 30 |
| 3.3.7. QoS requirement . . . . .  | 30 |
| 3.3.8. QoS parameter . . . . .  | 30 |
| 3.3.9. QoS function . . . . .   | 31 |
| 3.3.10. QoS mechanism . . . . .   | 31 |
| 3.4. Design of a QoS transport ontology for the next generation<br>transport layer . . . . .          | 31 |
| 3.4.1. Ontology representation . . . . .  | 31 |
| 3.4.2. X.641 QoS ontology . . . . .   | 32 |
| 3.4.3. QoS transport requirements . . . . .   | 33 |
| 3.4.4. QoS transport mechanisms, functions and protocols . . . . .                                    | 33 |
| 3.5. QoS transport ontology specification . . . . .   | 34 |
| 3.5.1. TCP semantic description . . . . .   | 34 |
| 3.5.2. UDP semantic description . . . . .   | 36 |
| 3.5.3. SCTP semantic description . . . . .  | 36 |
| 3.5.4. DCCP semantic description . . . . .  | 38 |
| 3.5.5. MPTCP semantic description . . . . .   | 40 |
| 3.6. Usage of the QoS transport ontology specification . . . . .                                      | 41 |
| 3.6.1. QoS transport services characterization . . . . .  | 42 |
| 3.6.2. Transport components and transport composite<br>characterization . . . . .                     | 45 |
| 3.7. Summary . . . . .  | 46 |
| <b>Chapter 4. Model-Driven Design Methodology of Transport<br/>Mechanisms and Functions . . . . .</b> | 49 |
| 4.1. Introduction . . . . .   | 49 |
| 4.2. Software engineering process . . . . .   | 50 |
| 4.2.1. Unified Modeling Language . . . . .  | 51 |
| 4.2.2. UML 2.4.1-based methodology . . . . .  | 52 |
| 4.2.3. UML diagrams . . . . .   | 55 |
| 4.2.4. Summary and additional resources . . . . .   | 66 |

|  |     |
|--|-----|
| 4.3. Applying the UML-based software engineering methodology<br>for transport services . . . . .                                   | 68  |
| 4.3.1. Contextual model of transport functions and mechanisms . . . . .  | 68  |
| 4.3.2. Analysis of requirements guiding transport functions . . . . .  | 69  |
| 4.3.4. Design of transport functions and mechanisms . . . . .  | 71  |
| 4.4. Summary . . . . .   | 77  |
| <b>Chapter 5. Model-Driven Specification and Validation<br/>of Error Control Transport Mechanisms and Functions . . . . .</b>      | 79  |
| 5.1. Introduction . . . . .  | 79  |
| 5.2. Design of an error control function . . . . .   | 80  |
| 5.2.1. Behavior specification of the sending side protocol entity . . . . .  | 81  |
| 5.2.2. Behavior specification of the receiving side protocol entity . . . . .  | 83  |
| 5.3. Functional validation of the error control function . . . . .   | 84  |
| 5.3.1. Functional validation using a perfect medium . . . . .  | 86  |
| 5.3.2. Functional validation using an imperfect medium . . . . .   | 88  |
| 5.4. A new design of the error control function . . . . .  | 93  |
| 5.4.1. Functional validation using an imperfect medium . . . . .   | 96  |
| 5.4.2. More open questions . . . . .   | 97  |
| 5.5. A model-driven simulation environment . . . . .   | 98  |
| 5.5.1. Model-driven simulation framework . . . . .   | 99  |
| 5.5.2. Model-driven network simulator package . . . . .  | 100 |
| 5.5.3. Lossy medium simulator . . . . .  | 101 |
| 5.5.4. Delayed medium simulator . . . . .  | 102 |
| 5.5.5. Bandwidth-limited medium simulator . . . . .  | 104 |
| 5.6. Chapter summary . . . . .   | 106 |
| 5.7. Appendix . . . . .  | 107 |
| <b>Chapter 6. Model-Driven Specification and Validation of Congestion<br/>Control Transport Mechanisms and Functions . . . . .</b> | 109 |
| 6.1. Introduction . . . . .  | 109 |
| 6.2. Design of a congestion control function . . . . .   | 110 |
| 6.2.1. Behavior specification of the sending and receiving side<br>protocol entities . . . . .                                     | 111 |
| 6.2.2. The TCP-friendly rate control (TFRC) specification . . . . .  | 114 |
| 6.2.3. Detailed TFRC design . . . . .  | 117 |
| 6.3. Functional validation of the congestion control function . . . . .  | 119 |
| 6.3.1. Case study 1: continuous stream of messages<br>(no time constraints) . . . . .  | 121 |
| 6.3.2. Case study 2: GSM audio stream . . . . .  | 123 |
| 6.3.3. Case study 3: MJPEG video stream . . . . .  | 123 |

|   |            |
|---|------------|
| 6.4. Summary . . . . .  | 126        |
| 6.5. Appendix . . . . .   | 127        |
| <b>Chapter 7. Specification and Validation of QoS-Oriented Transport Mechanisms and Functions . . . . .</b> | <b>129</b> |
| 7.1. Introduction . . . . .   | 129        |
| 7.2. Contextual model of a QoS-oriented transport functions . . . . .                                       | 130        |
| 7.3. Contextual model of a QoS-oriented error control functions . . . . .                                   | 131        |
| 7.3.1. Partially ordered/partially reliable transport services . . . . .                                    | 133        |
| 7.4. Contextual model of a QoS-oriented congestion control functions . . . . .                              | 138        |
| 7.4.1. QoS-aware TFRC congestion control . . . . .  | 139        |
| 7.5. Design of the QoS-oriented error control functions . . . . .   | 142        |
| 7.5.1. Basis of a fully reliable SACK-based function. . . . .   | 143        |
| 7.5.2. Design of a partially reliable SACK-based function . . . . .   | 144        |
| 7.5.3. Design of a partially reliable function. . . . .   | 146        |
| 7.5.4. Design of a differentiated and partially reliable function. . . . .                                  | 147        |
| 7.5.5. Design of a time-constrained, differentiated and partially reliable function . . . . .               | 148        |
| 7.6. Design of the QoS-oriented congestion control function . . . . .                                       | 148        |
| 7.6.1. Basis of a TCP-friendly rate control function . . . . .  | 149        |
| 7.6.2. Design of a time-constrained and differentiated congestion control function. . . . .                 | 151        |
| 7.7. Summary . . . . .  | 153        |
| <b>Chapter 8. Architectural Frameworks for a QoS-Oriented Transport Protocol . . . . .</b>                  | <b>157</b> |
| 8.1. Introduction . . . . .   | 157        |
| 8.2. Communication architecture requirements . . . . .  | 159        |
| 8.3. Architectural frameworks for communication protocols . . . . .   | 160        |
| 8.3.1. QoS-oriented architecture . . . . .  | 160        |
| 8.3.2. Architectural frameworks for communication protocols . . . . .                                       | 161        |
| 8.4. Design of a composite and QoS-oriented transport protocol . . . . .                                    | 164        |
| 8.4.1. Design of the fully programmable transport protocol. . . . .   | 164        |
| 8.5. Evaluation of the FPTP transport protocol . . . . .  | 180        |
| 8.5.1. FPTP TD-TFRC mechanism . . . . .   | 180        |
| 8.5.2. FPTP D-PR and TD-PR mechanisms . . . . .   | 181        |
| 8.5.3. FPTP TD-TFRC mechanisms. . . . .   | 182        |
| 8.5.4. Analysis of results . . . . .  | 183        |
| 8.6. Summary . . . . .  | 184        |
| 8.7. Appendix . . . . .   | 184        |

|   |     |
|---|-----|
| <b>Chapter 9. Service-Oriented and Component-Based Transport Protocol . . . . .</b>   | 187 |
| 9.1. Introduction . . . . .   | 187 |
| 9.2. State-of-the-art on modern software architectural frameworks . . . . .   | 188 |
| 9.2.1. Service-oriented architecture . . . . .  | 188 |
| 9.2.2. Component-based design . . . . .   | 190 |
| 9.2.3. Summary . . . . .  | 192 |
| 9.3. Design guidelines of a component-based and service-oriented architecture for the next generation transport layer . . . . . | 193 |
| 9.3.1. Service-oriented architecture transport layer (SOATL) . . . . .  | 193 |
| 9.3.2. Service-component architecture for transport protocols (SCATP) . . . . .   | 193 |
| 9.3.3. Semantic model guiding the selection and composition of transport services . . . . .                                     | 194 |
| 9.4. FPTP semantic description . . . . .  | 194 |
| 9.4.1. FPTP individual . . . . .  | 195 |
| 9.4.2. Service characterization inferences based on components axioms . . . . .   | 196 |
| 9.5. Summary . . . . .  | 198 |
| 9.6. Appendix . . . . .   | 199 |
| <b>Chapter 10. Adaptive Transport Protocol . . . . .</b>  | 201 |
| 10.1. Introduction . . . . .  | 201 |
| 10.2. The enhanced transport protocol . . . . .   | 202 |
| 10.2.1. Adaptive composite communication architecture . . . . .   | 203 |
| 10.2.2. Behavioral adaptation . . . . .   | 205 |
| 10.2.3. Structural adaptation . . . . .   | 209 |
| 10.3. Summary . . . . .   | 212 |
| <b>Chapter 11. Autonomic Transport Protocol . . . . .</b>   | 213 |
| 11.1. Introduction . . . . .  | 213 |
| 11.2. Autonomic computing . . . . .   | 214 |
| 11.3. Self-managing functions . . . . .   | 215 |
| 11.4. Architecture . . . . .  | 215 |
| 11.4.1. Autonomic elements . . . . .  | 216 |
| 11.4.2. Autonomic orchestrators . . . . .   | 218 |
| 11.4.3. Policies . . . . .  | 219 |
| 11.4.4. Knowledge base . . . . .  | 220 |
| 11.4.5. Summary . . . . .   | 220 |
| 11.5. Design guidelines of an autonomic computing architecture for the next-generation transport layer . . . . .                | 221 |

|   |     |
|---|-----|
| 11.5.1. Self-managing functionalities . . . . . | 221 |
| 11.5.2. Architecture . . . . .                  | 222 |
| 11.5.3. Autonomic orchestrators . . . . .       | 224 |
| 11.5.4. Policy framework . . . . .              | 228 |
| 11.5.5. Knowledge base . . . . .                | 228 |
| 11.6. Summary . . . . .                         | 228 |
| 11.7. Appendix . . . . .                        | 229 |
| <b>Conclusions</b> . . . . .                    | 231 |
| <b>Perspectives</b> . . . . .                   | 235 |
| <b>Appendix</b> . . . . .                       | 239 |
| <b>Bibliography</b> . . . . .                   | 269 |
| <b>Index</b> . . . . .                          | 279 |