

## Table of Contents

<b>Chapter 1. Modeling and Identification of Serial Robots . . . . .</b>	<b>1</b>
Wisama KHALIL and Etienne DOMBRE	
1.1. Introduction . . . . .	1
1.2. Geometric modeling . . . . .	2
1.2.1. Geometric description . . . . .	2
1.2.2. Direct geometric model . . . . .	6
1.2.3. Inverse geometric model . . . . .	7
1.2.3.1. Stating the problem . . . . .	8
1.2.3.2. Principle of Paul's method . . . . .	10
1.3. Kinematic modeling . . . . .	14
1.3.1. Direct kinematic model . . . . .	14
1.3.1.1 Calculation of the Jacobian matrix by derivation of the DGM . . . . .	15
1.3.1.2. Kinematic Jacobian matrix . . . . .	17
1.3.1.3. Decomposition of the kinematic Jacobian matrix into three matrices . . . . .	19
1.3.1.4. Dimension of the operational space of a robot . . . . .	20
1.3.2. Inverse kinematic model . . . . .	21
1.3.2.1. General form of the kinematic model . . . . .	21
1.3.2.2. Inverse kinematic model for the regular case . . . . .	22
1.3.2.3. Solution at the proximity of singular positions . . . . .	23
1.3.2.4. Inverse kinematic model of redundant robots . . . . .	24

1.4. Calibration of geometric parameters . . . . .	26
1.4.1. Introduction . . . . .	26
1.4.2. Geometric parameters . . . . .	26
1.4.2.1. Geometric parameters of the robot . . . . .	26
1.4.2.2. Parameters of the robot's location . . . . .	27
1.4.2.3. Geometric parameters of the end-effector . . . . .	28
1.4.3. Generalized differential model of a robot . . . . .	29
1.4.4. Principle of geometric calibration . . . . .	30
1.4.4.1. General form of the calibration model . . . . .	30
1.4.4.2. Identifying the geometric parameters . . . . .	31
1.4.4.3. Solving the identification equations . . . . .	34
1.4.5. Calibration methods of geometric parameters . . . . .	35
1.4.5.1. Calibration model by measuring the end-effector location . . . . .	35
1.4.5.2. Autonomous calibration models . . . . .	36
1.4.6. Correction of geometric parameters . . . . .	39
1.5. Dynamic modeling . . . . .	40
1.5.1. Lagrange formalism . . . . .	42
1.5.1.1. General form of dynamic equations . . . . .	43
1.5.1.2. Calculation of energy . . . . .	44
1.5.1.3. Properties of the dynamic model . . . . .	46
1.5.1.4. Taking into consideration the friction . . . . .	47
1.5.1.5. Taking into account the inertia of the actuator's rotor . . . . .	48
1.5.1.6. Taking into consideration the forces and moments exerted by the end-effector on its environment . . . . .	48
1.5.2. Newton-Euler formalism . . . . .	50
1.5.2.1. Newton-Euler equations linear in the inertial parameters . . . . .	50
1.5.2.2. Practical form of Newton-Euler equations . . . . .	52
1.5.3. Determining the base inertial parameters . . . . .	53
1.6. Identification of dynamic parameters. . . . .	59
1.6.1. Introduction . . . . .	59
1.6.2. Identification principle of dynamic parameters . . . . .	60
1.6.2.1. Solving method . . . . .	60
1.6.2.2. Identifiable parameters . . . . .	62
1.6.2.3. Choice of identification trajectories . . . . .	63
1.6.2.4. Evaluation of joint coordinates . . . . .	65
1.6.2.5. Evaluation of joint torques . . . . .	65

1.6.3. Identification model using the dynamic model . . . . .	66
1.6.4. Sequential formulation of the dynamic model . . . . .	68
1.6.5. Practical considerations . . . . .	69
1.7. Conclusion . . . . .	70
1.8. Bibliography . . . . .	71
<b>Chapter 2. Modeling of Parallel Robots . . . . .</b>	<b>81</b>
<i>Jean-Pierre MERLET and François PIERROT</i>	
2.1. Introduction . . . . .	81
2.1.1. Characteristics of classic robots . . . . .	81
2.1.2. Other types of robot structure. . . . .	82
2.1.3. General advantages and disadvantages . . . . .	86
2.1.4. Present day uses. . . . .	88
2.1.4.1. Simulators and space applications . . . . .	88
2.1.4.2. Industrial applications . . . . .	91
2.1.4.3. Medical applications . . . . .	93
2.1.4.4. Precise positioning . . . . .	94
2.2. Machine types . . . . .	95
2.2.1. Introduction . . . . .	95
2.2.2. Plane robots with three degrees of freedom . . . . .	100
2.2.3. Robots moving in space . . . . .	101
2.2.3.1. Manipulators with three degrees of freedom . . . . .	101
2.2.3.2. Manipulators with four or five degrees of freedom . . . . .	107
2.2.3.3. Manipulators with six degrees of freedom . . . . .	109
2.3. Inverse geometric and kinematic models . . . . .	113
2.3.1. Inverse geometric model. . . . .	113
2.3.2. Inverse kinematics . . . . .	115
2.3.3. Singular configurations . . . . .	117
2.3.3.1. Singularities and statics . . . . .	121
2.3.3.2. State of the art. . . . .	121
2.3.3.3. The geometric method . . . . .	122
2.3.3.4. Maneuverability and condition number . . . . .	125
2.3.3.5. Singularities in practice . . . . .	126

2.4. Direct geometric model . . . . .	126
2.4.1. Iterative method . . . . .	127
2.4.2. Algebraic method . . . . .	128
2.4.2.1. Reminder concerning algebraic geometry . . . . .	128
2.4.2.2. Planar robots . . . . .	130
2.4.2.3. Manipulators with six degrees of freedom . . . . .	133
2.5. Bibliography . . . . .	134
<b>Chapter 3. Performance Analysis of Robots . . . . .</b>	<b>141</b>
Philippe WENGER	
3.1. Introduction . . . . .	141
3.2. Accessibility . . . . .	143
3.2.1. Various levels of accessibility . . . . .	143
3.2.2. Condition of accessibility . . . . .	144
3.3. Workspace of a robot manipulator . . . . .	146
3.3.1. General definition . . . . .	146
3.3.2. Space of accessible positions . . . . .	148
3.3.3. Primary space and secondary space . . . . .	149
3.3.4. Defined orientation workspace . . . . .	151
3.3.5. Free workspace . . . . .	152
3.3.6. Calculation of the workspace . . . . .	155
3.4. Concept of aspect . . . . .	157
3.4.1. Definition . . . . .	157
3.4.2. Mode of aspects calculation . . . . .	158
3.4.3. Free aspects . . . . .	160
3.4.4. Application of the aspects . . . . .	161
3.5. Concept of connectivity . . . . .	163
3.5.1. Introduction . . . . .	163
3.5.2. Characterization of n-connectivity . . . . .	165
3.5.3. Characterization of t-connectivity . . . . .	168
3.6. Local performances . . . . .	174
3.6.1. Definition of dexterity . . . . .	174
3.6.2. Manipulability . . . . .	174
3.6.3. Isotropy index . . . . .	180

3.6.4. Lowest singular value . . . . .	181
3.6.5. Approach lengths and angles . . . . .	181
3.7. Conclusion . . . . .	183
3.8. Bibliography . . . . .	183
<b>Chapter 4. Trajectory Generation . . . . .</b>	<b>189</b>
<b>Moussa HADDAD, Taha CHETTIBI, Wisama KHALIL and Halim LEHTIHET</b>	
4.1. Introduction . . . . .	189
4.2. Point-to-point trajectory in the joint space under kinematic constraints . . . . .	190
4.2.1. Fifth-order polynomial model . . . . .	191
4.2.2. Trapezoidal velocity model . . . . .	193
4.2.3. Smoothed trapezoidal velocity model . . . . .	198
4.3. Point-to-point trajectory in the task-space under kinematic constraints . . . . .	201
4.4. Trajectory generation under kinodynamic constraints . . . . .	204
4.4.1. Problem statement . . . . .	205
4.4.1.1. Constraints . . . . .	206
4.4.1.2. Objective function . . . . .	207
4.4.2. Description of the method . . . . .	208
4.4.2.1. Outline . . . . .	208
4.4.2.2. Construction of a random trajectory profile . . . . .	209
4.4.2.3. Handling kinodynamic constraints . . . . .	212
4.4.2.4. Summary . . . . .	216
4.4.3. Trapezoidal profiles . . . . .	218
4.5. Examples . . . . .	221
4.5.1. Case of a two dof robot . . . . .	221
4.5.1.1. Optimal free motion planning problem . . . . .	221
4.5.1.2. Optimal motion problem with geometric path constraint . . . . .	223
4.5.2. Case of a six dof robot . . . . .	224
4.5.2.1. Optimal free motion planning problem . . . . .	225
4.5.2.2. Optimal motion problem with geometric path constraints . . . . .	226

4.5.2.3. Optimal free motion planning problem with intermediate points . . . . .	227
4.6. Conclusion . . . . .	229
4.7. Bibliography . . . . .	230
Appendix: Stochastic Optimization Techniques . . . . .	234

**Chapter 5. Position and Force Control of a Robot in a Free or Constrained Space . . . . .** 241

Pierre DAUCHEZ and Philippe FRAISSE

5.1. Introduction . . . . .	241
5.2. Free space control . . . . .	242
5.2.1. Hypotheses applying to the whole chapter . . . . .	242
5.2.2. Complete dynamic modeling of a robot manipulator . . . . .	243
5.2.3. Ideal dynamic control in the joint space . . . . .	246
5.2.4. Ideal dynamic control in the operational working space . . . . .	248
5.2.5. Decentralized control . . . . .	250
5.2.6. Sliding mode control . . . . .	251
5.2.7. Robust control based on high order sliding mode . . . . .	254
5.2.8. Adaptive control . . . . .	255
5.3. Control in a constrained space . . . . .	257
5.3.1. Interaction of the manipulator with the environment . . . . .	257
5.3.2. Impedance control . . . . .	257
5.3.3. Force control of a mass attached to a spring . . . . .	258
5.3.4. Non-linear decoupling in a constrained space . . . . .	262
5.3.5. Position/force hybrid control . . . . .	263
5.3.5.1. Parallel structure . . . . .	263
5.3.5.2. External structure . . . . .	269
5.3.6. Specificity of the force/torque control . . . . .	271
5.4. Conclusion . . . . .	275
5.5. Bibliography . . . . .	275

**Chapter 6. Visual Servoing . . . . . 279**

François CHAUMETTE

6.1. Introduction . . . . .	279
6.2. Modeling visual features . . . . .	281
6.2.1. The interaction matrix . . . . .	281
6.2.2. Eye-in-hand configuration. . . . .	282
6.2.3. Eye-to-hand configuration. . . . .	283
6.2.4. Interaction matrix . . . . .	284
6.2.4.1. Interaction matrix of a 2-D point. . . . .	284
6.2.4.2. Interaction matrix of a 2-D geometric primitive. . . . .	287
6.2.4.3. Interaction matrix for complex 2-D shapes. . . . .	290
6.2.4.4. Interaction matrix by learning or estimation . . . . .	293
6.2.5. Interaction matrix related to 3-D visual features. . . . .	294
6.2.5.1. Pose estimation . . . . .	294
6.2.5.2. Interaction matrix related to $\theta_u$ . . . . .	297
6.2.5.3. Interaction matrix related to a 3-D point . . . . .	298
6.2.5.4. Interaction matrix related to a 3-D plane . . . . .	300
6.3. Task function and control scheme . . . . .	301
6.3.1. Obtaining the desired value $s^*$ . . . . .	301
6.3.2. Regulating the task function . . . . .	302
6.3.2.1. Case where the dimension of $s$ is 6 ( $k = 6$ ) . . . . .	304
6.3.2.2. Case where the dimension of $s$ is greater than 6 ( $k > 6$ ) . . . . .	312
6.3.3. Hybrid tasks . . . . .	317
6.3.3.1. Virtual links . . . . .	317
6.3.3.2. Hybrid task function . . . . .	319
6.3.4. Target tracking . . . . .	323
6.4. Other exteroceptive sensors . . . . .	325
6.5. Conclusion . . . . .	326
6.6. Bibliography . . . . .	328

**Chapter 7. Modeling and Control of Flexible Robots . . . . . 337**

Frédéric BOYER, Wisama KHALIL, Mouhacine BENOSMAN and  
George LE VEY

7.1. Introduction . . . . .	337
7.2. Modeling of flexible robots . . . . .	337
7.2.1. Introduction . . . . .	337
7.2.2. Generalized Newton-Euler model for a kinematically free elastic body . . . . .	339
7.2.2.1. Definition: formalism of a dynamic model . . . . .	339
7.2.2.2. Choice of formalism . . . . .	340
7.2.2.3. Kinematic model of a free elastic body . . . . .	341
7.2.2.4. Balance principle compatible with the mixed formalism . . . . .	343
7.2.2.5. Virtual power of the field of acceleration quantities . . . . .	344
7.2.2.6. Virtual power of external forces . . . . .	346
7.2.2.7. Virtual power of elastic cohesion forces . . . . .	347
7.2.2.8. Balance of virtual powers . . . . .	348
7.2.2.9. Linear rigid balance in integral form . . . . .	349
7.2.2.10. Angular rigid balance in integral form . . . . .	349
7.2.2.11. Elastic balances in integral form . . . . .	350
7.2.2.12. Linear rigid balance in parametric form . . . . .	351
7.2.2.13. Intrinsic matrix form of the generalized Newton-Euler model . . . . .	353
7.2.3. Velocity model of a simple open robotic chain . . . . .	356
7.2.4. Acceleration model of a simple open robotic chain . . . . .	357
7.2.5. Generalized Newton-Euler model for a flexible manipulator . . . . .	358
7.2.6. Extrinsic Newton-Euler model for numerical calculus . . . . .	359
7.2.7. Geometric model of an open chain . . . . .	362
7.2.8. Recursive calculation of the inverse and direct dynamic models for a flexible robot . . . . .	363
7.2.8.1. Introduction . . . . .	363
7.2.8.2. Recursive algorithm of the inverse dynamic model . . . . .	364
7.2.8.3. Recursive algorithm of the direct dynamic model . . . . .	368
7.2.8.4. Iterative symbolic calculation . . . . .	373
7.3. Control of flexible robot manipulators . . . . .	373
7.3.1. Introduction . . . . .	373
7.3.2. Reminder of notations . . . . .	374

Table of Contents    xiii

7.3.3. Control methods . . . . .	375
7.3.3.1. Regulation . . . . .	375
7.3.3.2. Point-to-point movement in fixed time . . . . .	375
7.3.3.3. Trajectory tracking in the joint space . . . . .	380
7.3.3.4. Trajectory tracking in the operational space . . . . .	383
7.4. Conclusion . . . . .	388
7.5. Bibliography . . . . .	389
<b>List of Authors . . . . .</b>	<b>395</b>
<b>Index . . . . .</b>	<b>397</b>