

# Table of Contents

|   |    |
|---|----|
| <b>Preface</b> . . . . .  | 13 |
| <b>Chapter 1. Photonic Crystals: From Microphotonics to Nanophotonics</b> . . .       | 17 |
| Pierre VIKTOROVITCH   |    |
| 1.1. Introduction. . . . .  | 17 |
| 1.2. Reminders and prerequisites. . . . .   | 19 |
| 1.2.1. Maxwell equations . . . . .  | 19 |
| 1.2.1.1. Optical modes. . . . .   | 20 |
| 1.2.1.2. Dispersion characteristics . . . . .   | 20 |
| 1.2.2. A simple case: three-dimensional and homogeneous free space . . . . .          | 20 |
| 1.2.3. Structuration of free space and optical mode engineering . . . . .             | 21 |
| 1.2.4. Examples of space structuration: objects with reduced dimensionality . . . . . | 22 |
| 1.2.4.1. Two 3D sub-spaces . . . . .  | 22 |
| 1.2.4.2. Two-dimensional isotropic propagation: planar cavity. . . . .                | 24 |
| 1.2.4.3. One-dimensional propagation: photonic wire . . . . .                         | 25 |
| 1.2.4.4. Case of index guiding (two- or one-dimensionality) . . . . .                 | 26 |
| 1.2.4.5. Zero-dimensionality: optical (micro)-cavity . . . . .                        | 26 |
| 1.2.5. Epilogue . . . . .   | 27 |
| 1.3. 1D photonic crystals . . . . .   | 28 |
| 1.3.1. Bloch modes . . . . .  | 29 |
| 1.3.2. Dispersion characteristics of a 1D periodic medium . . . . .                   | 30 |
| 1.3.2.1. Genesis and description of dispersion characteristics . . . . .              | 30 |
| 1.3.2.2. Density of modes along the dispersion characteristics . . . . .              | 32 |
| 1.3.3. Dynamics of Bloch modes. . . . .   | 33 |
| 1.3.3.1. Coupled mode theory . . . . .  | 33 |
| 1.3.3.2. Lifetime of a Bloch mode. . . . .  | 34 |
| 1.3.3.3. Merit factor of a Bloch mode. . . . .  | 35 |
| 1.3.4. The distinctive features of photonic crystals . . . . .                        | 35 |

|  |    |
|--|----|
| 1.3.5. Localized defect in a photonic band gap or optical microcavity . . . . .                                | 36 |
| 1.3.5.1. Donor and acceptor levels. . . . .  | 37 |
| 1.3.5.2. Properties of cavity modes in a 1DPC . . . . .  | 38 |
| 1.3.5.3. Fabry-Pérot type optical filter . . . . .   | 39 |
| 1.3.6. 1D photonic crystal in a dielectric waveguide and waveguided Bloch modes . . . . .                      | 40 |
| 1.3.6.1. Various diffractive coupling processes between optical modes . . . . .                                | 40 |
| 1.3.6.2. Determination of the dispersion characteristics of waveguided Bloch modes . . . . .                   | 42 |
| 1.3.6.3. Lifetime and merit factor of waveguided Bloch modes: radiation optical losses . . . . .               | 43 |
| 1.3.6.4. Localized defect or optical microcavity . . . . .   | 44 |
| 1.3.7. Epilogue . . . . .  | 46 |
| 1.4. 3D photonic crystals . . . . .  | 46 |
| 1.4.1. From dream . . . . .  | 46 |
| 1.4.2. . . . to reality . . . . .  | 47 |
| 1.5. 2D photonic crystals: the basics. . . . .   | 49 |
| 1.5.1. Conceptual tools: Bloch modes, direct and reciprocal lattices, dispersion curves and surfaces . . . . . | 50 |
| 1.5.1.1. Bloch modes . . . . .   | 50 |
| 1.5.1.2. Direct and reciprocal lattices . . . . .  | 51 |
| 1.5.1.3. Dispersion curves and surfaces. . . . .   | 52 |
| 1.5.2. 2D photonic crystal in a planar dielectric waveguide . . . . .  | 54 |
| 1.5.2.1. An example of the potential of 2DPC in terms of angular resolution: the super-prism effect . . . . .  | 56 |
| 1.5.2.2. Strategies for vertical confinement in 2DPC waveguided configurations. . . . .                        | 57 |
| 1.6. 2D photonic crystals: basic building blocks for planar integrated photonics . . . . .                     | 59 |
| 1.6.1. Fabrication: a planar technological approach. . . . .   | 59 |
| 1.6.1.1. 2DPC formed in an InP membrane suspended in air . . . . .   | 59 |
| 1.6.1.2. 2DPC formed in an InP membrane bonded onto silica on silicon by molecular bonding . . . . .           | 60 |
| 1.6.2. Localized defect in the PBG or microcavity . . . . .  | 62 |
| 1.6.3. Waveguiding structures . . . . .  | 64 |
| 1.6.3.1. Propagation losses in a straight waveguide . . . . .  | 66 |
| 1.6.3.2. Bends. . . . .  | 67 |
| 1.6.3.3. The future of PC-based waveguides lies principally in the guiding of light . . . . .                  | 69 |
| 1.6.4. Wavelength selective transfer between two waveguides . . . . .  | 70 |
| 1.6.5. Micro-lasers . . . . .  | 73 |

|  |     |
|--|-----|
| 1.6.5.1. Threshold power . . . . .   | 74  |
| 1.6.5.2. Example: the case of the surface emitting Bloch mode laser . . . . .                                    | 75  |
| 1.6.6. Epilogue . . . . .  | 77  |
| 1.7. Towards 2.5-dimensional Microphotonics . . . . .  | 77  |
| 1.7.1. Basic concepts . . . . .  | 77  |
| 1.7.2. Applications . . . . .  | 80  |
| 1.8. General conclusion . . . . .  | 81  |
| 1.9. References . . . . .  | 82  |
| <br>   |     |
| <b>Chapter 2. Bidimensional Photonic Crystals for Photonic Integrated Circuits</b> . . . . .                     | 85  |
| Anne TALNEAU   |     |
| 2.1. Introduction. . . . .   | 85  |
| 2.2. The three dimensions in space: planar waveguide perforated by a photonic crystal on InP substrate . . . . . | 86  |
| 2.2.1. Vertical confinement: a planar waveguide on substrate . . . . .   | 86  |
| 2.2.2. In-plane confinement: intentional defects within the gap. . . . .   | 87  |
| 2.2.2.1. Localized defects . . . . .   | 88  |
| 2.2.2.2. Linear defects . . . . .  | 88  |
| 2.2.3. Losses. . . . .   | 89  |
| 2.3. Technology for drilling holes on InP-based materials . . . . .  | 90  |
| 2.3.1. Mask generation. . . . .  | 90  |
| 2.3.2. Dry-etching of InP-based semiconductor materials . . . . .  | 91  |
| 2.4. Modal behavior and performance of structures . . . . .  | 92  |
| 2.4.1. Passive structures . . . . .  | 92  |
| 2.4.1.1. Straight guides, taper . . . . .  | 93  |
| 2.4.1.2. Bend, combiner. . . . .   | 96  |
| 2.4.1.3. Filters. . . . .  | 100 |
| 2.4.2. Active structures: lasers . . . . .   | 102 |
| 2.5. Conclusion . . . . .  | 104 |
| 2.6. References . . . . .  | 105 |
| <br>   |     |
| <b>Chapter 3. Photonic Crystal Fibers</b> . . . . .  | 109 |
| Dominique PAGNOUX  |     |
| 3.1. Introduction. . . . .   | 109 |
| 3.2. Two guiding principles in microstructured fibers . . . . .  | 112 |
| 3.3. Manufacture of microstructured fibers . . . . .   | 116 |
| 3.4. Modeling TIR-MOFs . . . . .   | 117 |
| 3.4.1. The “effective-V model”. . . . .  | 117 |
| 3.4.2. Modal methods for calculating the fields . . . . .  | 118 |

8 Nanophotonics

|   |            |
|---|------------|
| 3.5. Main properties and applications of TIR-MOFs . . . . .   | 120        |
| 3.5.1. Single mode propagation . . . . .  | 120        |
| 3.5.2. Propagation loss . . . . .   | 120        |
| 3.5.3. Chromatic dispersion . . . . .   | 121        |
| 3.5.4. Birefringence . . . . .  | 123        |
| 3.5.5. Non-conventional effective areas . . . . .   | 124        |
| 3.6. Photonic bandgap fibers . . . . .  | 125        |
| 3.6.1. Propagation in photonic bandgap fibers . . . . .   | 125        |
| 3.6.2. Some applications of photonic crystal fibers . . . . .   | 127        |
| 3.7. Conclusion . . . . .   | 128        |
| 3.8. References . . . . .   | 129        |
| <br>  |            |
| <b>Chapter 4. Quantum Dots in Optical Microcavities . . . . .</b>   | <b>135</b> |
| Jean-Michel GÉRARD  |            |
| 4.1. Introduction . . . . .   | 135        |
| 4.2. Building blocks for solid-state CQED . . . . .   | 137        |
| 4.2.1. Self-assembled QDs as “artificial atoms” . . . . .   | 137        |
| 4.2.2. Solid-state optical microcavities . . . . .  | 139        |
| 4.3. QDs in microcavities: some basic CQED experiments . . . . .  | 142        |
| 4.3.1. Strong coupling regime . . . . .   | 142        |
| 4.3.2. Weak coupling regime: enhancement/inhibition<br>of the SE rate and “nearly” single mode SE . . . . . | 145        |
| 4.3.3. Applications of CQED effects to single photon sources<br>and nanolazers . . . . .                    | 150        |
| 4.4. References . . . . .   | 154        |
| <br>  |            |
| <b>Chapter 5. Nonlinear Optics in Nano- and Microstructures . . . . .</b>                                   | <b>159</b> |
| Yannick DUMEIGE and Fabrice RAINERI   |            |
| 5.1. Introduction . . . . .   | 159        |
| 5.2. Introduction to nonlinear optics . . . . .   | 160        |
| 5.2.1. Maxwell equations and nonlinear optics . . . . .   | 160        |
| 5.2.2. Second order nonlinear processes . . . . .   | 164        |
| 5.2.2.1. Three wave mixing . . . . .  | 165        |
| 5.2.2.2. Second harmonic generation . . . . .   | 166        |
| 5.2.2.3. Parametric amplification . . . . .   | 169        |
| 5.2.2.4. How can phase matching be achieved? . . . . .  | 170        |
| 5.2.2.5. Applications of second order nonlinearity . . . . .  | 173        |
| 5.2.3. Third order processes . . . . .  | 173        |
| 5.2.3.1. Four wave mixing . . . . .   | 173        |
| 5.2.3.2. Optical Kerr effect . . . . .  | 175        |

|   |            |
|---|------------|
| 5.2.3.3. Nonlinear spectroscopy: Raman, Brillouin and Rayleigh scatterings . . . . .            | 177        |
| 5.3. Nonlinear optics of nano- or microstructured media . . . . .                               | 177        |
| 5.3.1. Second order nonlinear optics in III–V semiconductors . . . . .                          | 178        |
| 5.3.1.1. Quasi-phase matching in III–V semiconductors. . . . .                                  | 178        |
| 5.3.1.2. Quasi-phase matching in microcavity. . . . .   | 179        |
| 5.3.1.3. Bidimensional quasi-phase matching . . . . .   | 180        |
| 5.3.1.4. Form birefringence. . . . .  | 180        |
| 5.3.1.5. Phase matching in one-dimensional photonic crystals . . . . .                          | 181        |
| 5.3.1.6. Phase matching in two-dimensional photonic crystal waveguide. . . . .                  | 183        |
| 5.3.2. Third order nonlinear effects . . . . .  | 184        |
| 5.3.2.1. Continuum generation in microstructured optical fibers . . . . .                       | 184        |
| 5.3.2.2. Optical reconfiguration of two-dimensional photonic crystal slabs . . . . .            | 184        |
| 5.3.2.3. Spatial solitons in microcavities . . . . .  | 186        |
| 5.4. Conclusion . . . . .   | 187        |
| 5.5. References . . . . .   | 187        |
| <br>  |            |
| <b>Chapter 6. Third Order Optical Nonlinearities in Photonic Crystals . . . . .</b>             | <b>191</b> |
| Robert FREY, Philippe DELAYE and Gérald ROOSEN  |            |
| 6.1. Introduction. . . . .  | 191        |
| 6.2. Third order nonlinear optic reminder. . . . .  | 192        |
| 6.2.1. Third order optical nonlinearities. . . . .  | 192        |
| 6.2.2. Some third order nonlinear optical processes. . . . .                                    | 194        |
| 6.2.3. Influence of the local field. . . . .  | 196        |
| 6.3. Local field in photonic crystals . . . . .   | 198        |
| 6.4. Nonlinearities in photonic crystals . . . . .  | 203        |
| 6.5. Conclusion . . . . .   | 204        |
| 6.6. References . . . . .   | 204        |
| <br>  |            |
| <b>Chapter 7. Controlling the Optical Near Field: Implications for Nanotechnology . . . . .</b> | <b>207</b> |
| Frédérique DE FORNEL  |            |
| 7.1. Introduction. . . . .  | 207        |
| 7.2. How is the near field defined?. . . . .  | 208        |
| 7.2.1. Dipolar emission . . . . .   | 208        |
| 7.2.2. Diffraction by a sub-wavelength aperture. . . . .  | 212        |
| 7.2.3. Total internal reflection . . . . .  | 213        |
| 7.3. Optical near field microscopies . . . . .  | 217        |

|  |            |
|--|------------|
| 7.3.1. Introduction . . . . .  | 217        |
| 7.3.2. Fundamental principles . . . . .  | 217        |
| 7.3.3. Realization of near field probes. . . . .   | 219        |
| 7.3.4. Imaging methods in near field optical microscopes . . . . .                         | 220        |
| 7.3.5. Feedback . . . . .  | 222        |
| 7.3.6. What is actually measured in near field? . . . . .                                  | 223        |
| 7.3.7. PSTM configuration . . . . .  | 223        |
| 7.3.8. Apertureless microscope. . . . .  | 225        |
| 7.3.9. Effect of coherence on the structure of near field images . . . . .                 | 226        |
| 7.4. Characterization of integrated-optical components . . . . .                           | 227        |
| 7.4.1. Characterization of guided modes . . . . .  | 227        |
| 7.4.2. Photonic crystal waveguides . . . . .   | 229        |
| 7.4.3. Excitation of cavity modes . . . . .  | 230        |
| 7.4.4. Localized generation of surface plasmons . . . . .                                  | 232        |
| 7.5. Conclusion . . . . .  | 235        |
| 7.6. References . . . . .  | 236        |
| <br>   |            |
| <b>Chapter 8. Sub-Wavelength Optics: Towards Plasmonics . . . . .</b>                      | <b>239</b> |
| Alain DEREUX   |            |
| 8.1. Technological context. . . . .  | 239        |
| 8.2. Detecting optical fields at the sub-wavelength scale. . . . .                         | 240        |
| 8.2.1. Principle of sub-wavelength measurement . . . . .                                   | 240        |
| 8.2.2. Scattering theory of electromagnetic waves . . . . .                                | 242        |
| 8.2.3. Electromagnetic LDOS . . . . .  | 244        |
| 8.2.4. PSTM detection of the electric or magnetic components of<br>optical waves . . . . . | 246        |
| 8.2.5. SNOM detection of the electromagnetic LDOS . . . . .                                | 247        |
| 8.3. Localized plasmons . . . . .  | 249        |
| 8.3.1. Squeezing of the near-field by localized plasmons coupling. . . . .                 | 250        |
| 8.3.2. Controlling the coupling of localized plasmons. . . . .                             | 251        |
| 8.4. Sub- $\lambda$ optical devices . . . . .  | 254        |
| 8.4.1. Coupling in. . . . .  | 254        |
| 8.4.2. Sub- $\lambda$ waveguides . . . . .   | 254        |
| 8.4.3. Towards plasmonics: plasmons on metal stripes. . . . .                              | 255        |
| 8.4.4. Prototypes of submicron optical devices . . . . .                                   | 256        |
| 8.5. References . . . . .  | 263        |

|   |     |
|---|-----|
| <b>Chapter 9. The Confined Universe of Electrons<br/>in Semiconductor Nanocrystals</b> . . . . .                          | 265 |
| Maria CHAMARRO  |     |
| 9.1. Introduction . . . . .   | 265 |
| 9.2. Electronic structure . . . . .   | 266 |
| 9.2.1. “Naïf” model . . . . .   | 266 |
| 9.2.1.1. Absorption and luminescence spectra . . . . .  | 269 |
| 9.2.2. Fine electronic structure . . . . .  | 271 |
| 9.2.2.1. Size-selective excitation . . . . .  | 271 |
| 9.2.2.2. “Dark” electron-hole pair . . . . .  | 274 |
| 9.3. Micro-luminescence . . . . .   | 276 |
| 9.4. Auger effect . . . . .   | 279 |
| 9.5. Applications in nanophotonics . . . . .  | 281 |
| 9.5.1. Semiconductor nanocrystals: single photon sources . . . . .  | 281 |
| 9.5.2. Semiconductor nanocrystals: new fluorescent labels for biology . . . . .   | 283 |
| 9.5.3. Semiconductor nanocrystals: a new active material<br>for tunable lasers . . . . .                                  | 285 |
| 9.6. Conclusions . . . . .  | 286 |
| 9.7. References . . . . .   | 287 |
| <br>  |     |
| <b>Chapter 10. Nano-Biophotonics</b> . . . . .  | 293 |
| Hervé RIGNEAULT and Pierre-François LENNE   |     |
| 10.1. Introduction . . . . .  | 293 |
| 10.2. The cell: scale and constituents . . . . .  | 295 |
| 10.3. Origin and optical contrast mechanisms . . . . .  | 296 |
| 10.3.1. Classical contrast mechanisms: bright field, dark field,<br>phase contrast and interferometric contrast . . . . . | 297 |
| 10.3.2. The fluorescence contrast mechanism . . . . .   | 298 |
| 10.3.2.1. The lifetime contrast . . . . .   | 300 |
| 10.3.2.2. Resolving power in fluorescence microscopy . . . . .  | 301 |
| 10.3.3. Non-linear microscopy . . . . .   | 303 |
| 10.3.3.1. Second harmonic generation (SHG) . . . . .  | 304 |
| 10.3.3.2. Coherent anti-Stokes Raman scattering (CARS) . . . . .  | 305 |
| 10.4. Reduction of the observation volume . . . . .   | 307 |
| 10.4.1. Far field methods . . . . .   | 308 |
| 10.4.1.1. 4Pi microscopy . . . . .  | 308 |
| 10.4.1.2. Microscopy on a mirror . . . . .  | 309 |
| 10.4.1.3. Stimulated emission depletion: STED . . . . .   | 309 |

|    |                            |     |
|----|----------------------------|-----|
| 12 | Nanophotonics              |     |
|    | 10.4.2. Near field methods | 311 |
|    | 10.4.2.1. NSOM             | 312 |
|    | 10.4.2.2. TIRF             | 312 |
|    | 10.4.2.3. Nanoholes        | 313 |
|    | 10.5. Conclusion           | 314 |
|    | 10.6. References.          | 314 |
|    | <b>List of Authors</b>     | 319 |
|    | <b>Index</b>               | 323 |