

## Table of Contents

|   |    |
|---|----|
| <b>Introduction . . . . .</b>                                       | 13 |
| <b>Chapter 1. Basic Elements of 2-D Signal Processing . . . . .</b> | 17 |
| Claude CARIOU, Olivier ALATA and Jean-Marc LE CAILLEC               |    |
| 1.1. Introduction . . . . .   | 17 |
| 1.2. Deterministic 2-D signals . . . . .                            | 18 |
| 1.2.1. Definition . . . . .   | 18 |
| 1.2.2. Particular 2-D signals . . . . .                             | 19 |
| 1.3. Random 2-D signals . . . . .                                   | 22 |
| 1.3.1. Definition . . . . .   | 22 |
| 1.3.2. Characterization up to the second order . . . . .            | 23 |
| 1.3.3. Stationarity . . . . .                                       | 24 |
| 1.3.4. Characterization of orders higher than two . . . . .         | 26 |
| 1.3.5. Ergodicity . . . . .   | 26 |
| 1.3.6. Specificities of random 2-D signals . . . . .                | 27 |
| 1.3.7. Particular random signals . . . . .                          | 28 |
| 1.3.7.1. White noise . . . . .                                      | 28 |
| 1.3.7.2. Gaussian process . . . . .                                 | 29 |
| 1.4. 2-D systems . . . . .  | 31 |
| 1.4.1. Definition . . . . .   | 31 |
| 1.4.2. Main 2-D operators . . . . .                                 | 31 |
| 1.4.3. Main properties . . . . .                                    | 32 |
| 1.4.4. Linear time-invariant (LTI) system . . . . .                 | 33 |
| 1.4.5. Example . . . . .  | 34 |
| 1.4.6. Separable system . . . . .                                   | 34 |
| 1.4.7. Stability of 2-D systems . . . . .                           | 36 |
| 1.4.8. Support of the impulse response – causality . . . . .        | 37 |
| 1.5. Characterization of 2-D signals and systems . . . . .          | 39 |
| 1.5.1. Frequency response of an LTI system . . . . .                | 39 |

## 6 Two-Dimensional Signal Analysis

|   |           |
|---|-----------|
| 1.5.2. 2-D Fourier transform . . . . .                                  | 41        |
| 1.5.2.1. Definition . . . . .   | 41        |
| 1.5.2.2. Properties . . . . .   | 42        |
| 1.5.3. Discrete 2-D Fourier transform . . . . .                         | 43        |
| 1.5.3.1. Definition . . . . .   | 43        |
| 1.5.3.2. Properties . . . . .   | 44        |
| 1.5.3.3. Calculation of the 2-D DFT . . . . .                           | 45        |
| 1.5.4. 2-D $z$ transform . . . . .                                      | 46        |
| 1.5.4.1. Definition . . . . .   | 46        |
| 1.5.4.2. Region of convergence . . . . .                                | 47        |
| 1.5.4.3. Properties . . . . .   | 49        |
| 1.5.4.4. Transfer function of a 2-D system . . . . .                    | 51        |
| 1.5.4.5. 2-D inverse ZT . . . . .                                       | 53        |
| 1.5.4.6. Application to the study of stability of LTI systems . . . . . | 53        |
| 1.5.4.7. Minimum or non-minimum phase LTI system . . . . .              | 54        |
| 1.5.5. Frequency characterization of a random 2-D signal . . . . .      | 55        |
| 1.5.6. Output of a 2-D system with random input . . . . .               | 57        |
| 1.6. 2-D Wold decomposition . . . . .                                   | 58        |
| 1.6.1. Innovation, determinism and regularity in the 2-D case . . . . . | 58        |
| 1.6.2. Total decomposition of three fields . . . . .                    | 60        |
| 1.6.3. Example of an outcome . . . . .                                  | 61        |
| 1.7. Conclusion . . . . .   | 63        |
| 1.8. Bibliography . . . . .   | 63        |
| <b>Chapter 2. 2-D Linear Stochastic Modeling . . . . .</b>              | <b>65</b> |
| Olivier ALATA and Claude CARIOU   |           |
| 2.1. Introduction . . . . .   | 65        |
| 2.2. 2-D ARMA models . . . . .  | 66        |
| 2.2.1. Definition . . . . .   | 66        |
| 2.2.2. 2-D ARMA models and prediction supports . . . . .                | 67        |
| 2.2.2.1. Causal models . . . . .  | 67        |
| 2.2.2.2. Causal quarter plane model . . . . .                           | 70        |
| 2.2.2.3. Causal model whose support is delimited by any two NSHPs       | 71        |
| 2.2.2.4. Semi-causal model . . . . .                                    | 72        |
| 2.2.2.5. Non-causal model . . . . .                                     | 72        |
| 2.3. L-Markovian fields . . . . .                                       | 73        |
| 2.3.1. 2-D Markov fields and L-Markovian fields . . . . .               | 73        |
| 2.3.2. 2-D L-Markovian fields and Gibbs fields . . . . .                | 74        |
| 2.4. “Global” estimation methods . . . . .                              | 76        |
| 2.4.1. Maximum likelihood . . . . .                                     | 76        |
| 2.4.1.1. Estimation criteria by supposing the fixed order . . . . .     | 76        |

|   |     |
|---|-----|
| 2.4.1.2. Probability criteria “penalized” to estimate the order of<br>the model . . . . . | 78  |
| 2.4.2. Yule-Walker equations. . . . .   | 79  |
| 2.4.2.1. Representation of minimum variance and formulation. . . . .                      | 80  |
| 2.4.2.2. Non-causal support and L-Markovian fields. . . . .                               | 81  |
| 2.4.2.3. Causal support and 2-D AR model . . . . .  | 83  |
| 2.4.2.4. Extension to the 2-D AR non-causal model . . . . .                               | 85  |
| 2.4.2.5. Extension to the 2-D ARMA model. . . . .   | 85  |
| 2.4.3. 2-D Levinson algorithm (for the parametric 2-D AR estimation). .                   | 85  |
| 2.4.3.1. Recalling the 1-D case. . . . .  | 86  |
| 2.4.3.2. Approach for 2-D causal and non-causal prediction models .                       | 89  |
| 2.4.3.3. Multichannel approach and 2-D QP AR model . . . . .                              | 91  |
| 2.4.3.4. Other approaches . . . . .   | 92  |
| 2.5. “Adaptive” or “recursive” estimation methods . . . . .                               | 93  |
| 2.5.1. Connectivity hypotheses for adaptive or recursive algorithms .                     | 93  |
| 2.5.2. Algorithms . . . . .   | 93  |
| 2.5.2.1. Methods based on a stochastic gradient. . . . .                                  | 93  |
| 2.5.2.2. Methods based on the recursive least squares criterion .                         | 95  |
| 2.5.2.3. Methods based on the geometric approach of the<br>RLS criterion . . . . .        | 96  |
| 2.6. Application: segmentation of textured images . . . . .                               | 100 |
| 2.6.1. Textured field and segmented field . . . . .                                       | 100 |
| 2.6.2. Multiscale or hierarchical approach . . . . .                                      | 103 |
| 2.6.3. Non-supervised estimation of the parameters . . . . .                              | 104 |
| 2.6.3.1. Multinominal distribution. . . . .   | 104 |
| 2.6.3.2. Information criterion. . . . .   | 105 |
| 2.6.4. Examples of segmentation. . . . .  | 108 |
| 2.6.4.1. Synthesis textures . . . . .   | 108 |
| 2.6.4.2. Brodatz textures . . . . .   | 109 |
| 2.6.4.3. SAR image . . . . .  | 109 |
| 2.7. Bibliography . . . . .   | 109 |
| <b>Chapter 3. 2-D Spectral Analysis. . . . .</b>  | 115 |
| Claude CARIOU, Stéphanie ROUQUETTE and Olivier ALATA                                      |     |
| 3.1. Introduction. . . . .  | 115 |
| 3.2. General concepts. . . . .  | 116 |
| 3.3. Traditional 2-D spectral estimation. . . . .   | 118 |
| 3.3.1. Periodogram technique. . . . .   | 118 |
| 3.3.2. Correlogram technique. . . . .   | 119 |
| 3.3.3. Limits of traditional spectral analysis . . . . .                                  | 120 |
| 3.4. Parametric 2-D spectral estimation . . . . .   | 121 |
| 3.4.1. Spectral estimation by linear stochastic models . . . . .                          | 122 |

## 8 Two-Dimensional Signal Analysis

|  |            |
|--|------------|
| 3.4.1.1. AR model . . . . .  | 122        |
| 3.4.1.2. ARMA model . . . . .  | 126        |
| 3.4.1.3. Gauss-Markov model . . . . .                                  | 127        |
| 3.4.2. Maximum entropy method . . . . .                                | 128        |
| 3.4.2.1. ME principle . . . . .  | 129        |
| 3.4.2.2. Implementation . . . . .                                      | 129        |
| 3.4.2.3. Example: alternate projection methods . . . . .               | 130        |
| 3.4.2.4. Performances . . . . .  | 132        |
| 3.4.3. Minimum variance method . . . . .                               | 132        |
| 3.5. 2-D high resolution methods. . . . .                              | 134        |
| 3.5.1. 2-D MUSIC . . . . .   | 135        |
| 3.5.2. Calculation of a pseudo-spectrum . . . . .                      | 135        |
| 3.5.3. Pseudo-spectrum estimation. . . . .                             | 137        |
| 3.6. Other techniques . . . . .  | 138        |
| 3.7. Comparative study of some techniques . . . . .                    | 138        |
| 3.7.1. Analysis of 2-D harmonic components . . . . .                   | 139        |
| 3.7.1.1. Synthesis of 2-D sinusoidal signals . . . . .                 | 140        |
| 3.7.1.2. General behavior of PSD estimates . . . . .                   | 141        |
| 3.7.1.3. Statistics of frequency estimation . . . . .                  | 150        |
| 3.7.1.4. Separability of two frequency components. . . . .             | 153        |
| 3.7.1.5. Estimation of the power of a sinusoid. . . . .                | 157        |
| 3.7.1.6. Summary. . . . .  | 157        |
| 3.7.2. Analysis of random fields . . . . .                             | 159        |
| 3.7.2.1. Synthesis of parametric random fields . . . . .               | 160        |
| 3.7.2.2. Spectral estimation of a GM field . . . . .                   | 160        |
| 3.7.2.3. Summary. . . . .  | 163        |
| 3.7.3. Conclusion . . . . .  | 163        |
| 3.8. Application: spectral analysis of remote sensing images . . . . . | 165        |
| 3.8.1. Position of the problem . . . . .                               | 165        |
| 3.8.2. Stochastic modeling of a radar image . . . . .                  | 166        |
| 3.8.3. Example of application. . . . .                                 | 167        |
| 3.9. Conclusion . . . . .  | 169        |
| 3.10. Bibliography . . . . .   | 170        |
| <b>Chapter 4. Bispectral Analysis of 2-D Signals . . . . .</b>         | <b>175</b> |

Jean-Marc LE CAILLEC and René GARELLO

|   |     |
|---|-----|
| 4.1. Introduction . . . . .                               | 175 |
| 4.1.1. Higher order moments and cumulants . . . . .       | 175 |
| 4.1.2. Properties of moments and cumulants . . . . .      | 179 |
| 4.1.3. Polyspectra of stationary signals . . . . .        | 181 |
| 4.1.4. Polyspectra . . . . .                              | 185 |
| 4.1.5. Definition of the coherence of order $p$ . . . . . | 185 |

|  |            |
|--|------------|
| 4.2. Moments and spectra of order $p$ for linear signals . . . . .                           | 185        |
| 4.2.1. Moments and cumulants of order $p$ for linear signals . . . . .                       | 186        |
| 4.2.2. Spectrum of order $p$ for a linear signal . . . . .                                   | 187        |
| 4.2.3. General properties of the bispectra of linear signals. . . . .                        | 187        |
| 4.2.4. Polyspectrum of a linear signal . . . . .   | 188        |
| 4.2.5. Coherence of order $p$ for linear signals . . . . .                                   | 189        |
| 4.3. Signals in quadratic phase coupling, non-linearity and the<br>Volterra system . . . . . | 189        |
| 4.3.1. Bispectrum of a signal in quadratic phase coupling . . . . .                          | 190        |
| 4.3.2. Volterra models and decomposition of non-linear systems . . . . .                     | 192        |
| 4.3.2.1. General principles . . . . .  | 192        |
| 4.3.2.2. Bispectrum of a Volterra model with Gaussian input data. . . . .                    | 194        |
| 4.4. Bispectral estimators for 2-D signals . . . . .   | 195        |
| 4.4.1. Indirect method . . . . .   | 196        |
| 4.4.2. Direct method . . . . .   | 199        |
| 4.4.3. Autoregressive model . . . . .  | 200        |
| 4.4.4. ARMA modeling . . . . .   | 202        |
| 4.4.5. Measure of bias and variance of estimators. . . . .                                   | 204        |
| 4.5. Hypothesis test for non-linearity and bicoherence tables . . . . .                      | 204        |
| 4.5.1. Hypothesis tests . . . . .  | 204        |
| 4.5.2. Bicoherence tables . . . . .  | 207        |
| 4.6. Applications . . . . .  | 210        |
| 4.6.1. Image restoration . . . . .   | 210        |
| 4.6.2. Artifact removal. . . . .   | 210        |
| 4.7. Bibliography . . . . .  | 211        |
| <b>Chapter 5. Time-frequency Representation of 2-D Signals . . . . .</b>                     | <b>215</b> |
| Stéphane GRASSIN and René GARELLO  |            |
| 5.1. Introduction . . . . .  | 215        |
| 5.1.1. Bilinear time-frequency representation . . . . .                                      | 215        |
| 5.1.2. Four spaces of representation . . . . .   | 216        |
| 5.1.3. Restriction to bilinear representation . . . . .                                      | 217        |
| 5.1.4. Spectral description using bilinear representations . . . . .                         | 218        |
| 5.1.4.1. Bilinear representations in time-delay space. . . . .                               | 218        |
| 5.1.4.2. Bilinear representations in equivalent time-frequency space .                       | 219        |
| 5.2. TFR application to sampled images . . . . .   | 219        |
| 5.2.1. TFR expression of discrete images. . . . .  | 219        |
| 5.2.1.1. Autocorrelation function of a discrete image . . . . .                              | 220        |
| 5.2.1.2. Time-frequency representation of a discrete image. . . . .                          | 222        |
| 5.2.2. Support of the sums. . . . .  | 223        |
| 5.3. Minimum properties and constraints on the kernel. . . . .                               | 223        |
| 5.3.1. Compatibility with reversible linear transformations . . . . .                        | 224        |

## 10 Two-Dimensional Signal Analysis

|  |            |
|--|------------|
| 5.3.2. Positivity . . . . .  | 225        |
| 5.3.3. TFR with real values . . . . .  | 225        |
| 5.3.4. Conservation of energy . . . . .  | 225        |
| 5.3.5. Spectral estimation . . . . .   | 226        |
| 5.3.5.1. Case of second order stationary images. . . . .                                 | 227        |
| 5.3.5.2. Case of signals with bilinear frequency modulation . . . . .                    | 227        |
| 5.3.6. Evolution of properties of a modified kernel . . . . .                            | 228        |
| 5.3.6.1. Pseudo-smoothed version . . . . .   | 228        |
| 5.3.6.2. Simply smoothed version . . . . .   | 229        |
| 5.3.6.3. Simply masked version . . . . .   | 229        |
| 5.4. Notion of analytic images . . . . .   | 230        |
| 5.4.1. Formulation of the problem for the images . . . . .                               | 230        |
| 5.4.2. Traditional solution . . . . .  | 231        |
| 5.4.3. Symmetric solution with reference to a hyperplane . . . . .                       | 233        |
| 5.4.4. Solution with a non-symmetric half-plane . . . . .                                | 233        |
| 5.4.5. Choice of spectral division . . . . .   | 237        |
| 5.5. Spectral analysis application of SAR images . . . . .                               | 241        |
| 5.5.1. Analysis of an internal waveform . . . . .  | 243        |
| 5.5.1.1. Characteristics of the image and preprocessing . . . . .                        | 243        |
| 5.5.1.2. Analysis method . . . . .   | 244        |
| 5.5.1.3. Presentation of the results and interpretation . . . . .                        | 246        |
| 5.5.2. Analysis of an internal wave field with superimposition . . . . .                 | 249        |
| 5.5.3. Analysis of a small area internal wave field . . . . .                            | 249        |
| 5.5.4. Prospects . . . . .   | 250        |
| 5.6. Approximation of an internal wave train . . . . .                                   | 252        |
| 5.6.1. Benefit of approximation of the frequency law . . . . .                           | 252        |
| 5.6.2. Problem resolution . . . . .  | 252        |
| 5.6.3. Adequacy of bilinear modulation with instantaneous frequency estimation . . . . . | 255        |
| 5.6.3.1. Overview of the benefit of this adequacy . . . . .                              | 255        |
| 5.6.3.2. Verification of the adequacy hypothesis . . . . .                               | 256        |
| 5.7. Bibliography . . . . .  | 257        |
| <b>Chapter 6. 2-D Wavelet Representation . . . . .</b>                                   | <b>259</b> |
| Philippe CARRÉ, Noël RICHARD and Christine FERNANDEZ                                     |            |
| 6.1. Introduction . . . . .  | 259        |
| 6.2. Dyadic wavelet transform: from 1-D to 2-D . . . . .                                 | 260        |
| 6.2.1. Multiresolution analysis . . . . .  | 260        |
| 6.2.2. Wavelets and filter banks . . . . .   | 262        |
| 6.2.3. Wavelet packets . . . . .   | 264        |
| 6.2.4. 2-D extension by the simple product . . . . .                                     | 266        |
| 6.2.5. Non-separable 2-D wavelets . . . . .  | 272        |

|   |            |
|---|------------|
| 6.2.6. Non-decimated decomposition . . . . .  | 278        |
| 6.3. Trigonometric transform to adaptive windows . . . . .                                    | 282        |
| 6.3.1. Malvar wavelets . . . . .  | 282        |
| 6.3.1.1. Window function . . . . .  | 282        |
| 6.3.1.2. Local trigonometric bases . . . . .  | 283        |
| 6.3.2. Folding operator . . . . .   | 284        |
| 6.3.3. Windowed orthonormal base . . . . .  | 287        |
| 6.3.4. Extension of Malvar wavelets to 2-D . . . . .  | 288        |
| 6.4. Transform by frequency slicing . . . . .   | 292        |
| 6.4.1. Continuous theory of 1-D Meyer wavelets . . . . .                                      | 293        |
| 6.4.2. Definition of Meyer wavelet packets . . . . .  | 295        |
| 6.4.3. Numerical outcome of decomposition in 1-D Meyer wavelet<br>packets . . . . .           | 295        |
| 6.4.3.1. Restriction on positive frequencies . . . . .  | 296        |
| 6.4.3.2. Initialization: calculation of the first scale . . . . .                             | 297        |
| 6.4.3.3. Definition of window $w_{I_{2i}^{s+1}}$ for $i > 0$ . . . . .                        | 297        |
| 6.4.3.4. Definition of window $w_{I_{2i+1}^{s+1}}$ for $i > 0$ . . . . .                      | 299        |
| 6.4.3.5. Calculation of the coefficients of Meyer wavelet<br>packets for $i > 0$ . . . . .    | 299        |
| 6.4.3.6. Calculation of wavelet packet coefficients related to $\hat{\psi}_0^{s+1}$ . . . . . | 302        |
| 6.4.3.7. Algorithm and 1-D reconstruction . . . . .   | 304        |
| 6.4.4. Extension of Meyer wavelet packets to 2-D . . . . .                                    | 306        |
| 6.5. Conclusion . . . . .   | 308        |
| 6.6. Bibliography . . . . .   | 309        |
| <b>List of Authors . . . . .</b>  | <b>313</b> |
| <b>Index . . . . .</b>  | <b>315</b> |